





LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DWN	APVD
ES	00						
		C2		ADD NEW PART 6450841-6	19MAY2011	AY	SZ
		C3		ADD NEW DASH NUMBER -8	22APR2014	AL	SZ
		C5		ADD NEW DASH NUMBER -9	21JUN2014	CZ	SZ



- 1 "AMP", PART NUMBER, AND DATECODE TO BE MARKED IN AREA SHOWN. PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, BLACK, UL94 V-0
SIGNAL CONTACT - COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 DIA HOLE.
- 9 FOR CONFIGURATION S/LP/P, PLEASE SEE SHEET 2.



	DIM T	DIM W	DIM V	DIM R	DIM U	DIM S	DIM D	DIM L	DIM K	DESCRIPTION	PART NUMBER
④	-	-	2.200	.695	2.090	.300	2.300	2.440	.095	20S + 5ACP	6450841-9
	-	-	2.250	.570	2.140	.200	2.350	2.490	.095	16S + 8HDP	6450841-8
	-	-	2.700	-	2.590	-	2.800	2.940	.095	100S	6450841-6
	-	-	1.800	.770	1.690	.250	1.900	2.040	.095	24S + 4P	6450841-5
	-	-	.600	-	.490	-	.700	.840	.095	16S	6450841-4
9	.115	1.4525	4.830	1.775	4.720	.250	4.930	5.070	.095	52S + 2LP + 12P	6450841-2
	-	-	3.600	1.070	3.490	.250	3.700	3.840	.145	32S + 10P	6450841-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±.13
2 PLC	±.13
3 PLC	±.0020
4 PLC	±
ANGLES	±.7°

MATERIAL: - FINISH: -

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: VINCENT QIAO 15AUG2008, CHK: SUNY ZHAO 15AUG2008, APVD: S. YAO 15AUG2008

NAME: RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE


PRODUCT SPEC: 108-2292, APPLICATION SPEC: 114-13038

SIZE: A1, CAGE CODE: 6450841, DRAWING NO: 100779, WEIGHT: -



CUSTOMER DRAWING, SCALE: 1:1, SHEET: 1 OF 6, REV: C5

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DMN	APVD
		-		SEE SHEET 1			





FOR CONFIGURATION S/LP/P, OTHER DIMENSIONS PLEASE SEE SHEET 1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN VINCENT QIAO 15AUG2008	 TE Connectivity
DIMENSIONS: INCHES		CHK SUNY ZHAO 15AUG2008	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±. 2 PLC ±.13 3 PLC ±0.0020 4 PLC ±. ANGLES ±2° FINISH		APVD S. YAO 15AUG2008	NAME
		PRODUCT SPEC	RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE
MATERIAL		APPLICATION SPEC	RESTRICTED TO
		114-13038	SIZE CAGE CODE DRAWING NO
		WEIGHT	A100779C=6450841
		CUSTOMER DRAWING	SCALE 1:1 SHEET 2 OF 6 REV C5

LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	OWN	APVD
				SEE SHEET 1			

PART NUMBER	ROWS	SIGNAL								POWER									
		1	2	3	4	5	6	7	8	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10
6450841-1	D C B A	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	TT	TT	TT	TT	TT	TT	TT	TT	TT	TT
		Y5	Y5	Y5	Y1	Y1	Y5	Y5	Y5										
		R5	R5	R5	R1	R1	R5	R5	R5										
		O5	O5	O5	O5	O5	O5	O5											
32S + 10P		HD																HD	

PART NUMBER	ROWS	SIGNAL													POWER												
		1	2	3	4	5	6	7	8	9	10	11	12	13	LP1	LP2	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11
6450841-2	D C B A	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	LT	LT	TT	TT	TT	TT	TT	TT	TT	TT	TT	TT	TT
		Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5													
		R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5													
		O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5	O5														
52S + 2LP + 12P		HD																								HD	



DESCRIPTION	IDENTIFIER
HOLD DOWN	HD
.120 SIGNAL MLBF PRESS FIT CON, ROW A	O1
.120 SIGNAL MLBF PRESS FIT CON, ROW B	R1
.120 SIGNAL MLBF PRESS FIT CON, ROW C	Y1
.120 SIGNAL MLBF PRESS FIT CON, ROW D	Z1
.120 SIGNAL PRESS FIT CON, ROW A,STD	O5
.120 SIGNAL PRESS FIT CON, ROW B,STD	R5
.120 SIGNAL PRESS FIT CON, ROW C,STD	Y5
.120 SIGNAL PRESS FIT CON, ROW D,STD	Z5
.120 PRESS FIT LOW POWER CON	LT
.120 PRESS FIT POWER CON	TT

THIS DRAWING IS A CONTROLLED DOCUMENT. DWG: VINCENT QIAO 15AUG2008
 CHK: SUNY ZHAO 15AUG2008
 APVD: S. YAO 15AUG2008

STE TE Connectivity

NAME: RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE


PRODUCT SPEC: 108-2292
 APPLICATION SPEC: 114-13038

SIZE: A1 00779 C=6450841
 SCALE: 1:1 SHEET 3 OF 6 REV: C5

MATERIAL: - FINISH: - WEIGHT: - CUSTOMER DRAWING

LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL																								
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
6450841-6	D	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5	Z5
	C	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5	Y5
	B	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5	R5
	A	HD	05	05	05	05	05	05	05	05	05	05	05	05	05	05	05	05	05	05	05	05	05	05	05	05
100S																										HD



THIS DRAWING IS A CONTROLLED DOCUMENT.



DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.0005 1 PLC ±.0010 2 PLC ±.0015 3 PLC ±.0020 4 PLC ±.0025 ANGLES ±.2° FINISH	DWN VINCENT QIAO 15AUG2008 CHK SUNY ZHAO 15AUG2008 APVD S. YAO 15AUG2008	NAME RIGHT ANGLE HEADER W/ LP CONTACT AND SHORT END MODULES MULTI-BEAM XLE
MATERIAL	FINISH	PRODUCT SPEC 108-2292 APPLICATION SPEC 114-13038 WEIGHT	SIZE CAGE CODE DRAWING NO A100779C=6450841
CUSTOMER DRAWING		SCALE 1:1	SHEET 5 OF 6 REV C5

4805 (3/11)

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL				POWER								
		1	2	3	4	P1	P2	P3	P4	P5	P6	P7	P8	
6450841-8	D	Z5	Z5	Z5	Z5	TT	TT	TT	TT	TT	TT	TT	TT	TT
	C	Y5	Y5	Y5	Y5	TT	TT	TT	TT	TT	TT	TT	TT	TT
	B	R5	R5	R5	R5	TT	TT	TT	TT	TT	TT	TT	TT	TT
	A	O5	O5	O5	O5									
16S + 8HDP														

PART NUMBER	ROWS	SIGNAL					POWER				
		1	2	3	4	5	P1	P2	P3	P4	P5
6450841-9	D	Z5	Z5	Z5	Z5	Z1					
	C	Y5	Y5	Y5	Y5	Y1	TT	TT	TT	TT	TT
	B	R5	R5	R5	R5	R1					
	A	O5	O5	O5	O5	O1					
20S + 5ACP											



THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN VINCENT QIAO 15AUG2008	TE Connectivity
DIMENSIONS: INCHES		CHK SUNY ZHAO 15AUG2008	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. YAO 15AUG2008	NAME
0 PLC ±		PRODUCT SPEC	RIGHT ANGLE HEADER
1 PLC ±13		APPLICATION SPEC	W/ LP CONTACT AND SHORT END MODULES
2 PLC ±0.0020		RESTRICTED TO	MULTI-BEAM XLE
3 PLC ±		SIZE CAGE CODE DRAWING NO	A100779C=6450841
4 PLC ±		WEIGHT	SCALE 1:1 SHEET 6 OF 6 REV C5
ANGLES ±2°		CUSTOMER DRAWING	
FINISH			