1375820-8 - ACTIVE

CST

TE Internal #: 1375820-8 Housing, Receptacle, Wire-to-Wire, 8 Position, .1 in [2.54 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal

View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings >



Receptacle Housing: 2.54mm, 1 Row, CST-100 II

Connector Product Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Wire

Number of Positions: 8

Centerline (Pitch): 2.54 mm [.1 in]

All Receptacle Housing: 2.54mm, 1 Row, CST-100 II (25)



Features

Product Type Features

| Connector Product Type | Housing |
|-----------------------------------|--------------|
| Connector & Housing Type | Receptacle |
| Connector System | Wire-to-Wire |
| Sealable | No |
| Connector & Contact Terminates To | Wire & Cable |
| Configuration Features | |
| Number of Positions | 8 |
| Number of Rows | 1 |
| Electrical Characteristics | |
| Operating Voltage | 250 VAC |
| Body Features | |
| | |

Housing, Receptacle, Wire-to-Wire, 8 Position, .1 in [2.54 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal



| Primary Product Color | Natural |
|------------------------------------|----------------------------|
| Contact Features | |
| Contact Retention Within Housing | Without |
| Contact Layout | Inline |
| Contact Type | Socket |
| Contact Current Rating (Max) | 7 A |
| Termination Features | |
| Termination Method to Wire & Cable | Crimp |
| Mechanical Attachment | |
| Strain Relief | Without |
| PCB Mount Alignment | Without |
| Panel Mount Feature | Without |
| PCB Mount Retention | Without |
| Mating Retention Type | Latch |
| Mating Retention | With |
| Connector Mounting Type | Cable Mount (Free-Hanging) |

Housing Features

| Housing Material | Nylon - GF |
|-----------------------------|-------------------------------|
| Centerline (Pitch) | 2.54 mm[.1 in] |
| Dimensions | |
| Connector Length | 20.83 mm[.82 in] |
| Connector Height | 6.6 mm[.26 in] |
| Wire Size | .13 – .33 mm² |
| Jsage Conditions | |
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
| Operation/Application | |
| Circuit Application | Power & Signal |
| ndustry Standards | |
| Glow Wire Rating | Standard Part - Not Glow Wire |
| | CSA, UL |
| Agency/Standard | |

C For support call+1 800 522 6752

Housing, Receptacle, Wire-to-Wire, 8 Position, .1 in [2.54 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal



| Packaging Quantity | 1 |
|---------------------------------|---|
| Packaging Method | Package |
| Other | |
| Discrete Wire Connector Comment | Accepts Rec Contact p/n 1375819 & MTA- 100 Keying Plug P/N 641994-1, Not interchangeable with CST-100 contacts and housings. |
| | |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

Housing, Receptacle, Wire-to-Wire, 8 Position, .1 in [2.54 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal







Customers Also Bought



Documents

Housing, Receptacle, Wire-to-Wire, 8 Position, .1 in [2.54 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, Power & Signal



Product Drawings CST-100 II HOUSING 8 POS

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1375820-8_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1375820-8_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1375820-8_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance Product Compliance Document

English

Product Compliance Document

English

Instruction Sheets Instruction Sheet (U.S.)

English

Agency Approvals CSA Certificate

English