

63856-1 ✓ ACTIVE

MAG-MATE


TE Internal #: 63856-1

Magnet Wire Terminals, F-Crimp, Size 1, Lead Wire Size 22 – 18 AWG, Lead Wire Size .3 – .8 mm², .36 – .45 mm Magnet Wire, MAG-MATE

[View on TE.com >](#)



Terminals & Splices > Magnet Wire Terminals



Magnet Wire Terminal Type: **F-Crimp**

Compatible With Cavity Size: **Size 1**

Compatible Insulation Diameter (Max): **2.23 mm [.088 in]**

Compatible Insulation Diameter Range: **1.8 – 2.23 mm [.071 – .088 in]**

Lead Wire Size: **22 – 18 AWG**

Features

Product Type Features

Compatible With Discrete Wire Type	Magnet Wire, Solid
------------------------------------	--------------------

Body Features

Compatible With Cavity Size	Size 1
-----------------------------	--------

Contact Features

Magnet Wire Terminal Type	F-Crimp
---------------------------	---------

Terminal Plating Material	Tin
---------------------------	-----

Contact Underplating Material	Copper
-------------------------------	--------

Terminal Orientation	Straight
----------------------	----------

Termination Features

Termination Method to Wire & Cable	Crimp, Insulation Displacement (IDC)
------------------------------------	--------------------------------------

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions



Terminal Height	4.75 mm[.187 in]
Compatible Insulation Diameter (Max)	2.23 mm[.088 in]
Compatible Insulation Diameter Range	1.8 – 2.23 mm[.071 – .088 in]
Lead Wire Size	.3 – .8 mm ²
Magnet Wire Size	.36 – .45 mm
Stock Thickness (Magnet Wire Side)	.33 mm[.013 in]
Product Length	11.86 mm[.466 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-65 – 150 °C[-85 – 302 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel, Reel/Carton
------------------	-------------------

Other

Terminals & Splices Comment	Stranded, fused stranded or solid lead wire, Two magnet wires may be terminated in the same terminal slot if diameters are equal.
-----------------------------	---

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Also in the Series | **MAG-MATE**



Insertion & Extraction Tools(7)




Magnet Wire Terminals(435)



PCB Terminals(1)

Customers Also Bought

TE Part #5787246-1
HDR ASY,RA,LKEY,STR TAIL,10.8VTE Part #NB-PTCO-189
Pt1000, 1.2x4.0, Class C,
PTFM102C1G0TE Part #2120743-2
MAG-MATE Slim Line with MultispringTE Part #1247001-3
MAGMATE "300 SERIES" WITH
MULTISPRING

Documents

Product Drawings

TERM MAG-MATE F-CRIMP 0126TPBR

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_63856-1_G.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_63856-1_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_63856-1_G.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Magnet Wire Terminals & Splices

English

Product Specifications

Application Specification

English



Product Environmental Compliance

Product Compliance

English

Product Compliance

English