

2201915

https://www.phoenixcontact.com/us/products/2201915

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Jumper for PCO power connector in ME-MAX housing, color: red (similar to RAL 3000)

Your advantages

- · Distribute high currents between modules
- · Mounting and removal of modules in a group
- · Simplified device system wiring saves money

Commercial data

Item number	2201915
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	AC08
Product key	ACHADZ
GTIN	4046356933964
Weight per piece (including packing)	46.5 g
Weight per piece (excluding packing)	40.788 g
Customs tariff number	85389099
Country of origin	DE



2201915

https://www.phoenixcontact.com/us/products/2201915

Technical data

Product properties

Housing material

• •				
Product type	Bridge			
Housing type	Component housing			
Housing series	ME-MAX			
Electrical properties				
Nominal current I _N	42 A			
Dimensions				
Length	500 mm			
Material specifications				
Color	red			
Flammability rating according to UL 94	V0			

Polyamide



2201915

https://www.phoenixcontact.com/us/products/2201915

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/2201915



EAC

Approval ID: B.01687



2201915

https://www.phoenixcontact.com/us/products/2201915

Classifications

ECLASS

	ECLASS-11.0	27141140
	ECLASS-12.0	27141140
	ECLASS-13.0	27250303
ETIM		
	ETIM 8.0	EC000489
LIN	USPSC	

UNSPSC



https://www.phoenixcontact.com/us/products/2201915



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values



2201915

https://www.phoenixcontact.com/us/products/2201915

Accessories

PCO 22,5-L KMGY - Power connector

2201685

https://www.phoenixcontact.com/us/products/2201685



Power connector for ME-MAX housing, design width: 22.5 mm, 2-pos., used to transmit a total current of up to 42 A at 60 V DC.

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com