

Data sheet | Item number: 890-673

Mounting plate; 3-pole; for distribution connectors; Plastic; white

www.wago.com/890-673



Color:

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Item description

Mounting accessories *WINSTA*® MINI 3-pole

The mounting accessories from the *WINSTA*® MINI product line guarantees you the greatest flexibility in electrical installation. An extensive range of accessories complements the *WINSTA*® product line from WAGO. *WINSTA*® MINI follows the trend towards miniaturisation. Our smallest pluggable connection system is primarily suited for lights, for example, since due to LED technology, these offer less and less space for the connection technology.

Subject to changes. Please also observe the further product documentation!

Lower costs through fast commissioning and elimination of service expenses – solutions from WINSTA® MINI

The WINSTA® Pluggable Connection System allows pluggable electrical installation. This saves time, lowers costs, and reduces the need for servicing. Enjoy the benefits of the pluggable version of our maintenance-free spring pressure connection technology too! Plan your installation with WINSTA® MINI accessories from WAGO.

-
- easy tool-free operation, a wide range of coding options
- fast, secure installation

Data

Connection data

Connection 1

Pole number	3
-------------	---

Mechanical Data

Mounting type	Screw mounting
Suitable	for distribution connectors (except T-distribution connectors); 3-pole

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	white
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.057 MJ
Weight	1.9 g

Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures \leq 105 °C

Subject to changes. Please also observe the further product documentation!



Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	50 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454684587
Customs tariff number	39269097900

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

890-673 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
890-673 doc - Datei	2015 年3月11 日	doc 22.0 kB	Download

CAD/CAE-Data

CAD data

2D/3D Models 890-673	URL	Download
----------------------	-----	----------

CAE data

ZUKEN Portal 890-673	URL	Download
WSCAD Universe 890-673	URL	Download

Environmental Product Compliance

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Compliance Search

Environmental Product Compliance 890-673

URL

Download

Mounting plate; 3-pole; for distribution connectors; Plastic; white

Installation Notes

Product family

WINSTA® MINI

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.