

## Cable housing - PH 2,5/ 7 - 3209743

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Cable housing, Length: 19.9 mm, Width: 36.4 mm, Height: 36.8 mm, Number of positions: 7, Color: gray



### Product Features

- Robust cable housing for strain relief on connecting cables
- Can be aligned without any loss of pitch
- Additional scope for marking plugs

### Key commercial data

Packing unit	1 PCE
Weight per Piece (excluding packing)	10.4 GRM
Custom tariff number	39269097
Country of origin	Poland

### Technical data

#### General

Color	gray
Inflammability class according to UL 94	V0
Number of positions	7

#### Dimensions

Width	36.4 mm
Length	19.9 mm
Height	36.8 mm

### Classifications

#### eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701

## Cable housing - PH 2,5/ 7 - 3209743

### Classifications

#### eCl@ss

eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440402
eCl@ss 8.0	27440402

#### ETIM

ETIM 3.0	EC001922
ETIM 4.0	EC000451
ETIM 5.0	EC000451

#### UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

### Accessories

#### Accessories

#### Mounting material

Bend protection sleeve - CPH 4-12 - 3212028



Bend protection sleeve, for cable diameter of 4 mm ... 12 mm, Color: black

---

#### Shield connection

Shield connection - HSH-METALL - 3210910



Shield connection

## Cable housing - PH 2,5/ 7 - 3209743

### Accessories

#### Strain relief

Cable clamp - HSR - 3212031



Cable clamp

---

© Phoenix Contact 2013 - all rights reserved  
<http://www.phoenixcontact.com>