8-level end plate; plain; 7.62 mm thick; light gray

www.wago.com/727-116



Picture differs from the item.	
	Color:
	COIOI.

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/727-116



#### Data

# Physical data

Width	7.62 mm / 0.3 inches
Height	226 mm / 8.898 inches
Depth	58.3 mm / 2.295 inches

#### **Mechanical Data**

Marking	nlain
Walking	plain

#### **Material Data**

Note (material data)

Information on material specifications can be found here

Color	light gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	VO
Fire load	0.858 MJ
Weight	28.8 g

## **Environmental requirements**

Processing temperature	-35 +85 ℃
Continuous operating temperature	-60 +105 °C

#### Commercial data

Product Group	12 (Matrix Patch Board)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	25 pcs
Packaging type	box
Country of origin	DE
GTIN	4017332635271
Customs tariff number	85389099990

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



## **Environmental Product Compliance**

RoHS Compliance Status Compliant, No Exemption

# Required accessories

## End plate

ommon potential terminal block	
Item no.: 727-126 8-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; orange	www.wago.com/727-126
Item no.: 727-138 8-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; light gray	www.wago.com/727-138
Item no.: 727-136 8-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; orange	www.wago.com/727-136
Item no.: 727-128 8-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; light gray	www.wago.com/727-128
Item no.: 727-127 8-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; light gray	www.wago.com/727-127
Item no.: 727-137 8-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; light gray	www.wago.com/727-137
Item no.: 727-125 8-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm $\emptyset$ test port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; orange	www.wago.com/727-125
Item no.: 727-135 8-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; orange	www.wago.com/727-135
erminal block for matrix patching	
Item no.: 727-124 8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; blue	www.wago.com/727-124
Item no.: 727-131 8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm $\emptyset$ test port; for 35 x 15 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; white	www.wago.com/727-131
Item no.: 727-122 8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; white	www.wago.com/727-122
Item no.: 727-129 8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm $\emptyset$ test port; for 35 x 15 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; gray	www.wago.com/727-129
Item no.: 727-133	

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/727-116



8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm $\emptyset$ test port; for 35 x 15 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; blue	www.wago.com/727-133
Item no.: 727-132	
8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm $\emptyset$ test port; for 35 x 15 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; white	www.wago.com/727-132
Item no.: 727-119	
8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm $\emptyset$ test port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; gray	www.wago.com/727-119
Item no.: 727-134	
8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm $\emptyset$ test port; for 35 x 15 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; blue	www.wago.com/727-134
Item no.: 727-130	
8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm $\emptyset$ test port; for 35 x 15 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; gray	www.wago.com/727-130
Item no.: 727-121	
8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm $\emptyset$ test port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; white	www.wago.com/727-121
Item no.: 727-120	
8-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm $\emptyset$ test port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; gray	www.wago.com/727-120
Item no.: 727-123	
8-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm $\emptyset$ test port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; blue	www.wago.com/727-123

## Optional accessories

#### Marking accessories

war king accessories	
Group marker carrier	
Item no.: 249-105 Group marker carrier; gray	www.wago.com/249-105

# Downloads Documentation

#### **Bid Text**

727-116 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
727-116 doc - Datei	2017 年8月18日	doc 24.1 kB	Download
Additional Information		pdf 2.3 MB	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/727-116



#### CAD/CAE-Data

CAD data

2D/3D Models 727-116	URL	Download
CAE data		
EPLAN Data Portal 727-116	URL	Download
WSCAD Universe 727-116	URL	Download
ZUKEN Portal 727-116	URL	Download

## **Environmental Product Compliance**

**Compliance Search** 

Environmental Product Compliance 727-116 URL Download 8-level end plate; plain; 7.62 mm thick; light gray

# **Installation Notes**

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.