




TRADEMARK,  
DATE CODE,  
GRIP CODE



- NOTES: (UNLESS OTHERWISE SPECIFIED)
1. MATERIALS: SEE TABLE
  2. PACKAGING SPECIFICATION: PK-31300-516 AND PK-30907-759
  3. CRIMPING PER APPLICATION SPECIFICATION AS-33468-002
  4. CRIMPED LEAD MEETS THE FOLLOWING:
    - 4.1. SAE/USCAR-21, MAY 2002
    - 4.2. SAE/USCAR-2, REV. 3, APRIL 2001
    - 4.3. SAE/USCAR-12, REV. 2
    - 4.4. GMW #3191 AUGUST 22, 2000 (DRAFT) TEMPERATURE CLASS 3, APPLIES ONLY TO Au PARTS
  5. PLATING NOTES:
    - 5.1 TIN PLATING (ENTIRE TERMINAL)
      - 5.1.1 ELECTRO REFLOW 1.90 - 3.30 MICROMETERS TIN OVER 0.25 - 0.76 MICROMETERS NICKEL
    - 5.2 GOLD PLATING
      - 5.2.1 UNDERPLATE OVERALL 1.25-2.25 MICROMETERS DUCTILE SULPHAMATE NICKEL
      - 5.2.2 ELECTRODEPOSITED GOLD 0.76 - 1.5 MICROMETERS IN CONTACT AREAS
      - 5.2.3 ELECTRODEPOSITED TIN MATTE FINISH 2.5 - 4.0 MICROMETERS IN CRIMP AREA
    - 5.3 SILVER PLATING
      - 5.3.1 UNDERPLATE OVERALL 1.25-2.25 MICROMETERS DUCTILE SULPHAMATE NICKEL
      - 5.3.2 ELECTRODEPOSITED PURE SILVER 99.5% PURITY SEMI-BRIGHT FINISH WITH NO BRIGHTENERS OR CHROMATES 1.9 - 3.3 MICROMETERS IN CONTACT AREAS
      - 5.3.3 ANTI-TARNISH TREATMENT FOR SILVER PLATED AREA: SYNTHETIC HYDROCARBON CONTACT SURFACE FINISH OR EQUIVALENT
      - 5.3.4 ELECTRODEPOSITED TIN MATTE FINISH 2.5 - 4.0 MICROMETERS IN CRIMP AREA

WIRE SIZE	GRIP CODE	PART NUMBER	REEL PAYOFF DIRECTION	DIM A	DIM B	DIM S	DIM T	DIM AF	DIM AG	BASE MATERIAL	PLATING ID
0.35 mm <sup>2</sup>	A	33468-0021	D	2.3	2.8	7.15 ± 0.10	0.26 ± 0.07	(2.1)	(2.5)	COPPER ALLOY	Sn Lead Free
		33467-0021	B								Au Lead Free
		33467-0022	B	2.3	2.8	6.97-7.27	0.26 ± 0.07	(2.1)	(2.5)	COPPER ALLOY	Ag Lead Free
		34736-0025	D								Ag Lead Free
		34736-0026	B								Au Lead Free
0.5-0.75 mm <sup>2</sup>	B	33468-0023	D	2.7	3.1	7.15 ± 0.10	0.26 ± 0.07	(2.5)	(2.7)	COPPER ALLOY	Sn Lead Free
		33467-0023	D								Au Lead Free
		33467-0024	B	2.7	3.1	6.97-7.27	0.26 ± 0.07	(2.5)	(2.7)	COPPER ALLOY	Ag Lead Free
		34736-0024	B								Ag Lead Free
		34736-0027	D								Ag Lead Free
34736-0028	B	Au Lead Free									

<b>SYMBOLS</b> THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION DIMENSION UNITS: mm SCALE: 5:1 GENERAL TOLERANCES (UNLESS SPECIFIED): ANGULAR TOL ± 3 4 PLACES ± 3 PLACES ± 2 PLACES ± 0.10 1 PLACE ± 0.3 0 PLACES ± DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS THIRD ANGLE PROJECTION DRAWING SERIES: C-SIZE 33468	CURRENT REV DESC: EC NO: 601885 DRWN: NVENKATESHSH 2018/06/01 CHK'D: JPRUNEAU 2018/08/09 APPR: TOMSMITH 2018/08/13 INITIAL REVISION: DRWN: KFERGUSON 2011/10/04 APPR: BMOSEY 2011/11/01		 MX64 ISO RECEPTACLE TERMINAL PRODUCT CUSTOMER DRAWING		
	DOCUMENT NUMBER: SD-33468-002 DOC TYPE: PSD DOC PART: 001 REVISION: B1				
	MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 1 OF 1				