RECOMMENDED PCB LAYOUT FOR TMMH-1XX-XX-XX-DV-XXX-XXX-FOOTPRINT REVISION B

1/13/2012 ECN-169918




FIG 1 TMMH-112-XX-XX-DV-XXX-XXX (-A / -LC OPTIONS) В

TABLE 1				
OPTIONS	"A"	"B"		
NONE	.038 [0.97]	N/A		
-A	.045 [1.14]	.047 [1.19]		
-LC	.045 [1.14]	.047 [1.19]		

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.






FIG 2 TMMH-112-XX-XX-DV-XXX-XXX (-EC / -EPC OPTIONS) В

TABLE 2		
OPTIONS	"C"	
-EC	.047 [1.19]	
-EPÇ	.047 [1.19]	

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.



REVISION	В	RECOMMENDED STENCIL LAYOUT FOR TMMH-1XX-XX-XX-DV-XXX-XXX-FOOTPRINT

SAME AS FIG 1 UNLESS NOTED OTHERWISE RECOMMENDED STENCIL THICKNESS .006[.152]

PROPRIETARY NOTE

FROPRIETARY NOTE

HIS DOCUMENT CONTAINS INFORMATION
CONFIDENTIAL AND PROPRIETARY 10
OR TRANSFERRED TO OTHER DOCUMENTS OR
DISCLOSED TO OTHER OF DUSE FOR ANY
PURPOSE OTHER THAN THAT WHICH IT WAS
OBTAINED WITHOUT THE EXPRESSED WRITTEN
CONSENT OF SAMTEC, INC.

