


# Data sheet

## 1800.7 KKB 2,5/2



Ceramic terminal

**RAL:** 9010

### Business data

Article number	<u>1800.7</u>
Article name	KKB 2,5/2
GTIN (EAN)	4044211119126
Packaging unit	100
Quantity unit	PC
Unit of weight	G
Customs number	85369010
Country of origin	EU

# Data sheet

## 1800.7 KKB 2,5/2

---

### Technical data

---

#### Dimensions

Length	20 mm
Width	17 mm
Height	17 mm

#### Ratings

Rated voltage	450 V
Rated current	32 A
Rated cross-section	4 mm <sup>2</sup>

#### Connection data

Connection principle	Screw connection
Connection position	Lateral
No. of poles	2
Wire cross-section single-core (rigid) / stranded, min.	1.5 mm <sup>2</sup>
Wire cross-section single core (rigid)/stranded, max.	4 mm <sup>2</sup>
Wire cross-section stranded, min.	1.5 mm <sup>2</sup>
Wire cross-section stranded, max.	4 mm <sup>2</sup>
Wire cross-section stranded with wire-end ferrules, max.	2.5 mm <sup>2</sup>
Screw head	Slotted
Screw threading	M 3

#### Further technical data

Working temperature, min.	-40 °C
Mounting type	Mounting face



# Data sheet

## 1800.7 KKB 2,5/2


---

### Media

---



**M3**



# Data sheet

## 1800.7 KKB 2,5/2



---

### Accessories

---

### Screwdriver

---