


RAST | RAST 5 IDC Connectors

TE Internal #: 6-1241983-2 Housing, Receptacle, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Red, Mating Retention, Wire & Cable, RAST 5 IDC Connectors

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Board Number of Positions: 2 Centerline (Pitch): 5 mm [.197 in]

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Keying & Polarized Rib Location	1b,2b
Number of Positions	2
Number of Rows	1
Body Features	
Primary Product Color	Red
Termination Features	
Termination Method to Wire & Cable	Crimp

Housing, Receptacle, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Red, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



Mechanical Attachment

Locking Latch Between Cavity Number	1&2	
Strain Relief	Without	
Panel Mount Feature	Without	
PCB Mount Retention	Without	
Mating Retention Type	Latch	
Mating Retention	With	
Connector Mounting Type	Cable Mount (Free-Hanging)	
Housing Features		
Housing Entry Configuration	Both Ends Closed	
Housing Material	PA 6	
Centerline (Pitch)	5 mm[.197 in]	
Dimensions		
Connector Length	25.5 mm[1 in]	
Connector Height	13.9 mm[.547 in]	
Usage Conditions		

Operating Temperature Range

-40 – 105 °C[-40 – 221 °F]

Operation/Application

Circuit Application	Power & Signal
Industry Standards	
RAST Version	02-1
Glow Wire Rating	Glow Wire
UL Flammability Rating	UL 94V-2
Packaging Features	
Packaging Quantity	3200
Packaging Method	Bag
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

Housing, Receptacle, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Red, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC Halogen Content Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts









Housing, Receptacle, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Red, Mating Retention, Wire & Cable, RAST 5 IDC Connectors








TE Part # 5-1241965-4 STD TIMER PLUG HSG 4P W/EXT. LOCKING

Also in the Series | RAST 5 IDC Connectors

And a set of the set o	A CARACTER OF A		
Automotive Terminals(8)	Connector Contacts(12)	Crimp Terminal Housings(41)	Insertion & Extraction Tools(1)
		Contraction of the second seco	
PCB Headers & Receptacles(417)	Rectangular Connector Housings(1)	Standard Edge Connectors(34)	Standard Rectangular Connectors(68)

Housing, Receptacle, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Red, Mating Retention, Wire & Cable, RAST 5 IDC Connectors





Customers Also Bought



STD TIMER CONTACT	AMP DUOPLUG MK2 CONNECTOR 4P S	AMP DUOPLUG MK2 CONNECTOR 3P	AMP DUOPLUG MK2 CONNECTOR 3P SELECTIVE
TE Part #1862006-5 STD PW TIMER CONTACT	TE Part #4-1534798-3 DUOPLUG MK II SELECTIVE LOADED		

Documents

Product Drawings STANDARD TIMER HOUSING MARK II

German

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_6-1241983-2_C_c-6-1241983-2-c.2d_dxf.zip

Housing, Receptacle, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Red, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



English

Customer View Model ENG_CVM_CVM_6-1241983-2_C_c-6-1241983-2-c.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6-1241983-2_C_c-6-1241983-2-c.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

German

Product Environmental Compliance Product Compliance Document

English

Product Compliance Document

English