


REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE	07/19/10	D.N.

- NOTES:
- MATERIALS:
- BODY = STAINLESS STEEL PER ASTM A582, ALLOY 303, CONDITION "A".
  - INSULATOR = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
  - CONTACT = BERYLLIUM COPPER PER ASTM B196, ALLOY C17300, TEMPER TD04.
- FINISHES:
- BODY = PASSIVATE PER QQ-P-35, TYPE VI.
  - CONTACT = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 1, GRADE C, OVER .00010 TO .00020 STRESS FREE SULFAMATE NICKEL PER QQ-N-290.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON		DWN: DATE D.N. 07/19/10	 Property of Radiall This document cannot be reproduced or communicated to a third party without prior written permission of RADIALL.	<b>SMA STRAIGHT JACK (2) HOLE FLANGE MOUNT RECEPTACLE</b>		
DECIMAL	ANGLE	CHKD: DATE M.J.. 07/19/10				
		APVD: DATE J.M. 07/19/10				
REFERENCE:		MATERIALS & FINISHES: SEE NOTES	SIZE <b>A</b>	FSCM NO. 19505	DWG NO. 9508-9113-002	REV A
ORIGINATED: D.N. DATE: 07/19/10			SCALE 4:1	THIRD ANGLE PROJECTION	SHEET 1 OF 1	

9508-9113-002