



Thermofit[®] Molded Parts Specification Control Drawing

Part Number : 381A3XX-X-01
Description : Slimline Transition, "Y"

NOTES

- All dimensions are in $\frac{\text{inches}}{\text{[millimeters]}}$
- Dimensions appearing in table are as follows:
 - a - As Supplied
 - b - After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.



PART NUMBER	H		J & K		H0,J0&K0	W	P,R & S
	Min a	Max b	Min a	Max b	Ref b	Norm b	Norm b
381A302-X-01	1.35 [34,3]	.45 [11,4]	.90 [22,9]	.45 [11,4]	.62 [15,7]	.05 [1,27]	1.48 [37,6]
381A303-X-01	2.37 [60,2]	.79 [20,0]	1.58 [40,1]	.79 [20,0]	1.25 [31,7]	.06 [1,52]	2.48 [63,0]
381A304-X-01	3.28 [83,3]	1.31 [33,2]	2.16 [54,8]	1.31 [33,2]	1.96 [49,7]	.07 [1,77]	3.73 [94,7]

**If this document is printed it becomes uncontrolled.
Check with document control for latest revision.**

Raychem Interconnect
a division of **Tyco Electronics**
300 Constitution Drive, Menlo Park, CA 94025


Revision : K
Date : 10/02/00

Part Number : 381A3XX-X-01
Description : Slimline Transition, "Y"

Thermofit[®] Molded Parts Specification Control Drawing

Part Number : 381A3XX-X-01
Description : Slimline Transition, "Y"

MATERIAL DASH NO.	MATERIAL DESCRIPTION	RT SPEC	COATING SLASH NO.	COATING S NO.	COATING DESCRIPTION
-50	Flexible Viton	RT-1313			
-51	Flexible EPB	RT-1321	/164, /180	S-1124, S-1030	Adhesive
-71	Flexible Polyolefin	RT-1316	/42, /86	S-1017, S-1048	Adhesive
-125	NSM	RT-1334			



THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

Raychem Interconnect
a division of **Tyco Electronics**
300 Constitution Drive, Menlo Park, CA 94025

Revision : K
Date : 10/02/00

Part Number : 381A3XX-X-01
Description : Slimline Transition, "Y"