

1044971

https://www.phoenixcontact.com/us/products/1044971

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cutting, stripping, and crimping set, packaged in a tools case, comprising WIREFOX 10, CRIMPFOX DUO 10, AI SORTI BOX RD, AI TWIN SORTI BOX BU, TOOL-KIT STANDARD EMPTY

Product description

Tool set, equipped

Your advantages

- · We have put together a number of attractive tool sets for you by selecting products from our comprehensive range of professional tools
- Universal tools sets with WIREFOX 10, CRIMPFOX-DUO tools from TOOL fox
- · Ideal for TWIN ferrule

Commercial data

| Item number | 1044971 |
|--------------------------------------|---------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | BH31 |
| Product key | BH3511 |
| Catalog page | Page 418 (C-3-2019) |
| GTIN | 4055626622859 |
| Weight per piece (including packing) | 1,056.1 g |
| Weight per piece (excluding packing) | 1,056.1 g |
| Customs tariff number | 82060000 |
| Country of origin | SE |



1044971

https://www.phoenixcontact.com/us/products/1044971

Set consists of

CRIMPFOX DUO 10 - Crimping pliers

1031721

https://www.phoenixcontact.com/us/products/1031721



Crimping pliers, contact connection type: Insulated and uninsulated ferrules, standards/specifications: DIN 46228-1, DIN 46228-4, UL 486F, form A, E, F, min. cross section: 0.14 mm^2 , max. cross section: 10 mm^2 , for TWIN ferrules up to 2 x 4 mm^2 , automatic cross section adjustment, rotating die, lateral and frontal insertion, compression: Trapezoidal crimp, black/green

WIREFOX 10 - Stripping tool

1212150

https://www.phoenixcontact.com/us/products/1212150



Stripping tool, for cables and conductors from 0.02 - 10 mm^2 , self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10 mm^2 stranded/1.5 mm^2 solid, replaceable stripping blade



1044971

https://www.phoenixcontact.com/us/products/1044971

AI SORTI BOX RD - Range box

3202960

https://www.phoenixcontact.com/us/products/3202960



Assortment box, supplied with ferrules according to DIN 46228-4: 1990-09, 50 pcs. of each. Al 0,5-8 WH, Al 2,5-8 BU, 100 pcs. Al 0,75-8 GY, Al 1-8 RD, Al 1,5-8 BK

AI-TWIN SORTI BOX BU - Range box

3202986

https://www.phoenixcontact.com/us/products/3202986



Assortment box, supplied with TWIN ferrules according to DIN 46228-4, CSA-certified, box contains 50 pcs. Al-TWIN 2x0,5-8 WH, Al-TWIN 2x0,75-8 GY, Al-TWIN 2x1-8 RD, Al-TWIN 2x1,5-8 BK, 25 pcs. Al-TWIN 2x2,5-10 BU



1044971

https://www.phoenixcontact.com/us/products/1044971

TOOL-KIT STANDARD EMPTY - Toolbag, unequipped

1212423

https://www.phoenixcontact.com/us/products/1212423



Tool box, unequipped



1044971

https://www.phoenixcontact.com/us/products/1044971

Technical data

Notes

| Tool set Bag Trapezoidal crimp |
|---|
| Bag |
| |
| Trapezoidal crimp |
| |
| DIN 46228-1, DIN 46228-4, UL 486F, form A, E, F |
| |
| 65 mm |
| 315 mm |
| 165 mm |
| |
| black |
| |



1044971

https://www.phoenixcontact.com/us/products/1044971

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1044971



EAC

Approval ID: RU x-DE.xx08.B.02974



1044971

https://www.phoenixcontact.com/us/products/1044971

Classifications

UNSPSC 21.0

ECLASS

| ECLASS-11.0 | 21045003 |
|-------------|----------|
| ECLASS-12.0 | 21045003 |
| ECLASS-13.0 | 21045003 |
| ETIM | |
| ETIM 8.0 | EC000149 |
| UNSPSC | |

27113200



1044971

https://www.phoenixcontact.com/us/products/1044971

Environmental product compliance

| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|------------|---|
| | No hazardous substances above threshold values |

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com