

## Cable gland - G-INS-NPT1/2-S68L-NNES-S - 1411183

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Brass, nickel-plated, External cable diameter 10 mm ... 14 mm, Shielding: No, Connecting thread: 1/2 inch NPT, Color: silver



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
Weight per Piece (excluding packing)	36.0 g
Custom tariff number	74199990
Country of origin	Turkey

### Technical data

#### Dimensions

Length	39 mm
Wrench size, union nut	22 mm
Wrench size, support	22 mm
Hexagon angular dimension GRP	29.7 mm
Length of the connecting thread	13 mm
External cable diameter	10 mm ... 14 mm

#### Ambient conditions

Degree of protection	IP68
	4X
Ambient temperature (operation)	-20 °C ... 100 °C (static)

#### General

Cable gland material	Brass, nickel-plated
Seal material	Neoprene
Cable seal material	Neoprene

# Cable gland - G-INS-NPT1/2-S68L-NNES-S - 1411183

## Technical data

### General

O-ring material	NBR
Shielded	No
Thread type on connection side	1/2 inch NPT
Torque	10 Nm ... 13 Nm (Union nut)
Color	silver

### Standards and Regulations

Connection in acc. with standard	UL
----------------------------------	----

## Classifications

### eCl@ss

eCl@ss 5.1	27081002
eCl@ss 6.0	27081002
eCl@ss 8.0	27149109

### ETIM

ETIM 4.0	EC000441
ETIM 5.0	EC000441

## Approvals

### Approvals

---

#### Approvals

UL Listed / cUL Listed / cULus Listed

---

#### Ex Approvals

---

#### Approvals submitted

---

### Approval details

UL Listed 
---

# Cable gland - G-INS-NPT1/2-S68L-NNES-S - 1411183


## Approvals

cUL Listed

cULus Listed

## Drawings

Dimensional drawing



Dimensional drawing