

Data sheet | Item number: 2016-1292

End and intermediate plate; 1 mm thick; orange

www.wago.com/2016-1292



Data

Physical data

Width	1 mm / 0.039 inches
Height	73 mm / 2.874 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	36.5 mm / 1.437 inches
-------	------------------------

Mechanical Data

Mounting type	snap-on type
---------------	--------------

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.073 MJ
Weight	2.4 g

Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	CN
GTIN	4044918121828
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates

Declarations of conformity and manufacturer's declarations

Logo	Approval	Additional Approval Text	Certificate name
	Railway WAGO GmbH & Co. KG	-	Railway Ready

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Required accessories

End plate

Through terminal block	
Item no.: 2016-1201	2-conductor through terminal block; 16 mm ² ; suitable for Ex e II applications; side and center marking; www.wago.com/2016-1201 for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; gray
Item no.: 2016-1204	2-conductor through terminal block; 16 mm ² ; for Ex e II and Ex i applications; side and center marking; www.wago.com/2016-1204 for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; blue
Item no.: 2016-1202	2-conductor through terminal block; 16 mm ² ; suitable for Ex e II applications; side and center marking; www.wago.com/2016-1202 for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; orange
Item no.: 2216-1204	2-conductor through terminal block; with push-button; 16 mm ² ; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; blue www.wago.com/2216-1204
Item no.: 2216-1201	2-conductor through terminal block; with push-button; 16 mm ² ; with test port; side and center marking; www.wago.com/2216-1201 for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; gray
Item no.: 2016-1203	2-conductor through terminal block; 16 mm ² ; suitable for Ex e II applications; side and center marking; www.wago.com/2016-1203 for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; red
Item no.: 2016-1201/000-053	2-conductor through terminal block; 16 mm ² ; suitable for Ex e II applications; side and center marking; www.wago.com/2016-1201/000-053 for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; dark gray-yellow
Item no.: 2016-1205	2-conductor through terminal block; 16 mm ² ; suitable for Ex e II applications; side and center marking; www.wago.com/2016-1205 for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; black
Item no.: 2216-1203	2-conductor through terminal block; with push-button; 16 mm ² ; with test port; side and center marking; www.wago.com/2216-1203 for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; red
Item no.: 2216-1205	2-conductor through terminal block; with push-button; 16 mm ² ; with test port; side and center marking; www.wago.com/2216-1205 for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; black
Shield terminal block	
Item no.: 2016-1208	2-conductor shield terminal block; 16 mm ² ; suitable for Ex e II applications; side and center marking; for www.wago.com/2016-1208 DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; white
Ground terminal block	
Item no.: 2016-1207	2-conductor ground terminal block; 16 mm ² ; suitable for Ex e II applications; side and center marking; www.wago.com/2016-1207 for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm ² ; green-yellow
Item no.: 2216-1207	

Subject to changes. Please also observe the further product documentation!



2-conductor ground terminal block; with push-button; 16 mm²; with test port; side and center marking; www.wago.com/2216-1207
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 16,00 mm²; green-yellow

Downloads

Documentation

Bid Text

2016-1292 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
--------------------------	--------------	---------------	----------

2016-1292 doc - Datei	2017 年4月28 日	doc 24.1 kB	Download
--------------------------	--------------	----------------	----------

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 2016-1292		URL	Download
------------------------	--	-----	----------

CAE data

EPLAN Data Portal 2016-1292		URL	Download
-----------------------------	--	-----	----------

ZUKEN Portal 2016-1292		URL	Download
------------------------	--	-----	----------

WSCAD Universe 2016-1292		URL	Download
--------------------------	--	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2016-1292 End and intermediate plate; 1 mm thick; orange		URL	Download
--	--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.