

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	11OCT2016	RL	CW

SCALE 4:5

5X M4 SCREW  
RECOMMENDED TIGHTENING  
TORQUE 1.2Nm  
5X M4螺丝, 推荐扭力矩为1.2Nm

NOTES:

1. TECHNICAL CHARACTERISTICS:  
FRAME MATERIAL: STAINLESS STEEL  
NUMBER OF MODULES: 4

2. STICKER TO MARK THE CONTACTS  
AND PE CONTACTS ON THE FRAME  
Acc. to DIN EN61984, 6.2.3

注释:

1. 技术参数:  
框架材料: 不锈钢  
模块数量: 4

2. 根据DIN EN61984, 6.2.3,  
用不干胶的标签在框架上做端子和接地端子的位置标识

8X M3 SCREW  
RECOMMENDED TIGHTENING  
TORQUE 0.5Nm  
8X M3 螺丝, 推荐扭力矩为0.5Nm

T0924048581-000

H32BPR-4P-350-FRAME  
H32BPR-4P-350 框架

PART NUMBER

PART DESCRIPTION

料号

描述

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN ROY LIU 11OCT2016

CHK KYLE ZENG 11OCT2016

APVD CHRIS WANG 11OCT2016

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±-
2 PLC	±-
3 PLC	±-
4 PLC	±-
ANGLES	±-

MATERIAL

-

FINISH

-

TE Connectivity

NAME  
H32BPR-4P-350-FRAME

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	-	©T0924048581000	-

SCALE 1:1 SHEET 1 OF 1 REV A

1470-19 (3/13)