

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - TE Connectivity ALL RIGHTS RESERVED.


ELECTRICAL	MECHANICAL	ENVIRONMENTAL
NOMINAL IMPEDANCE (OHMS) <u>50 ±1</u>	Force to Engage (Lbs MAX) 15	TEMPERATURE RATING <u>-65° TO +165°C</u>
Frequency Range (GHz) <u>DC to 40</u>	Disengage (Lbs) 5.0 MIN	Vibration MIL-STD-202, Method 204, Condition D
Volt Rating (VRMS MAX) @ Sea Level <u>335</u>	Center Contact Retention: N/A	Thermal Shock MIL-STD-202, Method 107, Condition B
VSWR: DC to 18 GHz: 1.20 MAX 18 to 26.5 GHz: 1.35 MAX 26.5 to 240 GHz: 1.7 MAX	Cable Retention: Axial: 20 Lbs. Min. Rotational: 16 In. Oz.	Corrosion - MIL-STD-202, Method 101, Condition B
Insertion Loss $.012\sqrt{F}$ GHz (dB min)	Interface per MIL-STD-348A, Figure 326-1a	
Corona, 70,000 Ft (VRMS MIN) <u>190</u>	DSCC Reference Part Number: 94008ZCG-2	
Dielectric Withstanding Voltage (VRMS MIN) @ Sea Level <u>500</u>		
Contact Resistance (Milliohms MAX) Center Contact <u>6.0</u> Outer Contact <u>2.0</u> Cable to Housing <u>0.5</u>		
RF High Potential @ Sea Level (VRMS MIN @ 5 MHz) <u>325</u>		
I.R.(Megohms MIN) <u>5,000</u>		

DESIGNED FOR USE WITH  
 Ø.047 [1.19] SEMI-RIGID CABLE  
 CABLE ENTRY DIAMETER MINIMUM

HOUSING	.050 [1.27]
CONTACT	.015 [0.38]

REVISIONS					
P	LTR	DESCRIPTION	DATE	OWN	APVD
F		REV PER ECO 17-008740	7-19-17	E	CT

COMPONENT	MATERIAL	FINISH
HOUSING CENTER CONTACT ANTI-ROCK RING EMI RING	BERYLLIUM COPPER PER ASTM B 196, ALLOY C17300, CONDITION H	GOLD PLATE PER ASTM-B-488
DIELECTRIC	TFE FLUOROCARBON PER ASTM-D-1457	N/A



1056521-1  
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.C.THOMAS 19-APR-05	<b>TE</b> TE Connectivity		
DIMENSIONS: INCHES		CHK R.GROSS 20-APR-05			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R.GROSS 20-APR-05	NAME OSMP STRAIGHT CABLE JACK DIRECT SOLDER ATTACHMENT		
0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 [0.13] 4 PLC ± - ANGLES ± -		PRODUCT SPEC APPLICATION SPEC	SIZE A2	CAGE CODE 00779	DRAWING NO C=1056521
MATERIAL SEE TABLE		FINISH SEE TABLE	WEIGHT 0.000000	SCALE 20:1	SHEET 1 of 1
CUSTOMER DRAWING			RESTRICTED TO	REV E	