1703838-2 - ACTIVE

AMP | Heavy Duty Sealed Connector Series

TE Internal #: 1703838-2 Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series

View on TE.com >

Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories >

Heavy Duty Sealed Connector Series Fixing Slides

Automotive Connector Accessory Type: Mounting Clip

Primary Product Material: **PBT GF**

Primary Product Color: Red

Number of Positions: 2, 3

Operating Temperature Range: -40 – 140 °C [-40 – 284 °F]

All Heavy Duty Sealed Connector Series Fixing Slides (33)





Features

Product Type Features

Configuration Features	
Number of Positions 2, 3	
Body Features	
Primary Product Material PBT GF	
Primary Product Color Red	
Usage Conditions	
Compatible With Connector Style Housing For Male Terminals	
Operating Temperature Range -40 – 140 °C[-40 – 284 °F]	
Industry Standards	
UL Flammability Rating UL 94V-0	

1703838-2

Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series



Packaging Features

Packaging Quantity	1000
Packaging Method	Box
Other	
Serviceable	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


1703838-2

Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series






Also in the Series | Heavy Duty Sealed Connector Series



Data Connectivity Housings(18)

Other Automotive Connector Accessories(34) PCB Headers & Receptacles(1)

Customers Also Bought



1703838-2

Other Automotive Connector Accessories, Mounting Clip, PBT GF, Red, -40 – 140 °C [-40 – 284 °F], Heavy Duty Sealed Connector Series





Documents

Product Drawings SLIDE, TAB HSG GROUP A

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1703838-2_J.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1703838-2_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1703838-2_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications Application Specification

English