


TE Internal #: 1483353-1 Micro Match Cable Assembly, .32 ft [.1 m], .08 mm², Gray Cable, Double Ended, Micro Match Plug, Micro Match Plug, PBT GF20, Red End A, Red End B

View on TE.com >

connectivity

Cable Assemblies > Copper Cable Assemblies > Power Cable Assemblies



Cable Assembly Configuration: Double Ended

Wire Size: .08 mm²

Outside Cable Diameter: .93 mm [.036 in]

Cable Assembly Length: .1 m [.32 ft]

Cable Color: Gray

Features

Product Type Features

Cable Assembly Category	Industry Standard
Cable Assembly Type	Micro Match
Connector Type (End A)	Micro Match Plug
Connector Type (End B)	Micro Match Plug
Configuration Features	
Number of Power Positions	0
Number of Positions	10
Body Features	
Equalized	Yes
Cable Color	Gray
Connector Color (End A)	Red
Connector Color (End B)	Red
Mechanical Attachment	
Mating Alignment Type	Keyed

C For support call+1 800 522 6752

1483353-1

Micro Match Cable Assembly, .32 ft [.1 m], .08 mm², Gray Cable, Double Ended, Micro Match Plug, Micro Match Plug, PBT GF20, Red End A, Red End B



Housing Features	
Housing Material	PBT GF20
Dimensions	
Wire Size	28 AWG
Outside Cable Diameter	.93 mm[.036 in]
Usage Conditions	
Operating Temperature Range	-40 - 221 °C[-40 - 105 °F]
Other	
Cable Assembly Configuration	Double Ended
Cable Assembly Length	.1 m[.32 ft]
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)

Halogen Content

Solder Process Capability

Candidate List Declared Against: JAN 2022

(223)

Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

1483353-1

Micro Match Cable Assembly, .32 ft [.1 m], .08 mm², Gray Cable, Double Ended, Micro Match Plug, Micro Match Plug, PBT GF20, Red End A, Red End B





Customers Also Bought



Documents

Product Drawings MICRO-MATCH LEAD 10P 100MM

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1483353-1_A_c-1483353-1-a.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1483353-1_A_c-1483353-1-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1483353-1_A_c-1483353-1-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

1483353-1

Micro Match Cable Assembly, .32 ft [.1 m], .08 mm², Gray Cable, Double Ended, Micro Match Plug, Micro Match Plug, PBT GF20, Red End A, Red End B



Product Environmental Compliance

Product Compliance

English

Product Compliance

English