
# MTi-3

- Miniature form factor (12x12 mm)
- Easy integration
- Development Kit available

The MTi-3 is a self-contained Attitude and Heading Reference System (AHRS) as a 12.1 x 12.1 mm module. The Xsens optimized strapdown algorithm (AttitudeEngine<sup>™</sup>) performs high-speed dead-reckoning calculations at 1 kHz allowing accurate capture of high frequency motions. Xsens' industry-leading sensor fusion algorithm provides high accuracy and sensor auto-calibration in a cost-effective module for a wide range of (embedded) applications. It relieves users from the design, integration and maintenance of gyroscopes, accelerometers and other sensors.

The MTi-3 is supported by the MT Software Suite which includes MT Manager (GUI for Windows/Linux), SDK, example codes and drivers for many platforms including ROS.



• 3D models available on request

This document is informational and not binding. Complete and detailed specifications are available at mtidocs.movella.com

# Sensor fusion performance

Roll, Pitch	0.5 deg RMS
Yaw/Heading	2 deg RMS
Strapdown Integration (SDI)	 Yes

## Gyroscope

Standard full range —————	2000 deg/s
In-run bias stability	6 deg/h
Bandwidth (-3dB)	230 Hz
Noise Density	0.003 °/s/√Hz

# **Accelerometer**

Standard full range	 16 g
In-run bias stability	40 μg
Bandwidth (-3dB)	230 Hz
Noise Density	70 μg/√H:

# Magnetometer

Standard full range —————	+/- 8 G
Total RMS noise	0.5 mG
Non-linearity	0.2%
Resolution	0.25 mG

# **Mechanical**

IP-rating	IP00
Operating Temperature ———	-40 to 85 °C
Casing material —————	PCB
Mounting orientation ————	No restriction, full 360° in all axes
Dimensions —————	12.1 x 12.1 x 2.55 mm
Connector —	SMD, footprint compatible with
	JEDEC PLCC-28
Weight ————	0.6 g
Certifications —————	CE, FCC, RoHS
Electrical	

Input voltage ————	2.8 to 3.6V
Power consumption (typ)	 <100 mW @ 3V

# Interfaces / IO

Interfaces ——————	UART, SPI, I <sup>2</sup> C
Sync Options	Yes
Protocols ——————	Xbus
Clock drift ——————	10 ppm
Output Frequency ————	Up to 1 kHz
Built-in-self test	Gyr, Acc, Mag

### Software Suite

Software Saite	
GUI (Windows/Linux) ———	MT Manager, Firmware updater,
	Magnetic Field Mapper
SDK (Example code)	C++, C#, Python, Matlab, Nucleo,
	public source code
Drivers	LabVIEW, ROS, GO
Support	Online manuals, community and
	knowledge base



