


VC-K-KV-PG16(4- 6,5)

Order No.: 1854459

The illustration shows a version of the product

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1854459>

Half screw connection Pg16, made of plastic, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 4 - 6.5

| Commercial data | |
|--------------------------|--|
| GTIN (EAN) |  4 017918 146061 |
| sales group | D290 |
| Pack | 5 pcs. |
| Customs tariff | 39269097 |
| Catalog page information | Page 372 (PC-2009) |

Product notes

WEEE/RoHS-compliant since:
01/01/2008

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

| Technical data | |
|------------------------------|--|
| General data | |
| Note | Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29 |
| Type of the screw connection | Half screw connection |
| Material, pressure screw | PA |

| | |
|---------------------------------|------------------|
| Seal material | TPE |
| Wrench size, union nut | 27 mm |
| Thread type on seal side | PG16 |
| External cable diameter | 4 mm ... 6.5 mm |
| Degree of protection | IP67 |
| Ambient temperature (operation) | -40 °C ... 80 °C |

Certificates / Approvals

Certification GOST

Accessories

| Item | Designation | Description |
|-----------------|----------------|---|
| Assembly | | |
| 1885363 | VC-K-KV-PG21-O | Half screw connection made of plastic with rubber seal without hole or for individual holes |

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;