

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

REVISIONS

© COPYRIGHT 20 BY -

ALL RIGHTS RESERVED.

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	ECR 14-007191	28OCT2014	SK	JP
	A1	ECR-14-017645	28NOV2014	SK	JP

Technical drawing of a contact assembly. The side view shows a contact with a length of 6 mm and a width of 2.5 ± 0.2 mm. The front view shows a contact with a length of 19 ± 1 mm and a width of 6.86 ± 0.2 mm. Other dimensions include 4.5 mm, 4.4 ± 0.15 mm, 1.5 ± 0.5 mm, 1.4 mm, 0.32 mm, 1.0 ± 0.3 mm, 3 mm, and Max. 0.5 mm. Section lines A-A and B-B are indicated.

Two cross-sectional views of the contact assembly. View A-A shows a contact with a width of 2.6 mm and a height of 2.8 mm. View B-B shows a contact with a width of 3.6 mm and a height of 3.7 mm. A surface finish symbol (// 0.2) is shown on the top surface of the contact in view B-B.

vorverzinnt	Kupfereisen	928820-3
vorverzinnt	Bronze	928820-2
vorverzinnt	Messing	928820-1
FINISH	MATERIAL	PART NO.

Kontakt geeignet für:

Drahtgrößenbereich 0.5-1.0 mm²
Isolationsbereich Ø1.4-2.3 mm

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN 28OCT2014

Shashikumar S N

CHK 28OCT2014

Pareras Javier

APVD -

NAME

STANDARD-TIMER KONTAKT

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

±0.2

±0.0001

±1

MATERIAL

FINISH

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

-

C-928820

-

Customer Drawing

SCALE

5:1

SHEET

1 OF 1

REV

A1

1470-19 (3/13)