1658641-2 ACTIVE

AMPLIMITE

TE Internal #: 1658641-2

Crimp D-Sub Connectors, Plug, Cable-to-Cable, 50 Position, Contact Size Size 20, 5 Connector Shell Size, Mating Retention

View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > Crimp D-Sub Connectors > D-Sub Crimp: Plug, Signal, 50 Posn, Pin Size 20, Shell Size 5











Connector & Housing Type: Plug

Connector System: Cable-to-Cable

Number of Positions: 50
Contact Size: Size 20
Connector Shell Size: 5

All D-Sub Crimp: Plug, Signal, 50 Posn, Pin Size 20, Shell Size 5 (7)

Features

Product Type Features

Shell Plating Material

Primary Product Color

Shell Material Configuration	Full Metal Shell
Ground Feature Type	Grounding Indents
Connector & Housing Type	Plug
Connector System	Cable-to-Cable
Connector Shell Size	5
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	50
Body Features	
Insert Material	Glass-Filled Nylon

Tin

Black



Contact Features

Contact Size	Size 20
Mechanical Attachment	
Mating Retention	With
Mating Retention Type	Mounting Holes
Housing Features	
Shell Material	Steel
Housing Material	Nylon GF, Polyester GF
Centerline (Pitch)	2.74 mm, 2.76 mm, 2.79 mm[.108 in][.109 in] [.11 in]
Dimensions	
Compatible Insulation Diameter Range	4.58 – 11.68 mm
Wire Size	.2 – .56 mm²
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Shielded	No
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
rackaging reatures	
Packaging Quantity	225
	225 Package
Packaging Quantity	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JUNE 2023

(235)

Candidate List Declared Against: JUNE

2023 (235)

Does not contain REACH SVHC

Halogen Content

Not Low Halogen - contains Br or Cl > 900
ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts







Customers Also Bought

















Documents

Product Drawings

HDP-20,PLUG,SIZE 5, 50 POSN

English

CAD Files

Customer View Model

ENG_CVM_CVM_1658641-2_D.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1658641-2_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1658641-2_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

AMPLIMITE Subminiature D Connectors - Cable Connectors

English

AMPLIMITE Cable Connectors and Shielding Hardware Kits QRG

English

Product Specifications

Application Specification

English

Product Environmental Compliance

MD_1658641-2_0707201496_dmtec

English

MD_1658641-2_0707201496_dmtec

English

Instruction Sheets

Instruction Sheet (U.S.)

Crimp D-Sub Connectors, Plug, Cable-to-Cable, 50 Position, Contact Size Size 20, 5 Connector Shell Size, Mating Retention



English

Agency Approvals

UL Report

English