## 3 INCHES LENGTH



Connector A 132176 SMA Jack Straight Bulkhead - Rear Mount Brass Gold + Heatshrink 50 Ohm RG-316DB Continuity/Hi-Pot Connector B 908-42500 MMCX Jack Straight Brass Gold + Heatshrink

## Assembly & Label Notes

Assembly label to be placed ~ 2" from end of connector A and/ or heat shrink Assembly shall be built with SN96.5 LEAD FREE solder. See Routing Notes for additional assembly & testing instructions.

Connector A				Cable		Connector B		
Part #: Description:	132176 SMA BHD JK RG316 DB 50O		Part #: Description:	RG-316DS RG-316DB - ST 0.102	Part #: Description:	908-42500 MMCX JK RG316DB 500		
Туре:	SMA		Dielectric:	ST	Type:	MMCX		
Gender:	Jack		Shielding:	Double Braid	Gender:	Jack		
Body Type:	Straight		Diameter:	0.102	Body Type:	Straight		
Contact Type:	Solder		Impedance:	50 Ohm	Contact Type:	Solder		
Polarity:	Standard		Sheathing:	None	Polarity:	Standard		
Impedance:	50 Ohm		Testing:	Continuity Hi-Pot	Impedance:	50 Ohm		
Mounting:	Bulkhead - Rear I	Vount	Length:	3 Inches	Mounting:	Cable		
Body Material:	Brass				Body Material:	Brass Gold None Beryllium Copper Gold 6 GHz		
Body Finish:	Gold				Body Finish:			
IP Rating:	None				IP Rating:			
Contact Material:	Beryllium Copper				Contact Material:			
Contact Finish:	Gold				Contact Finish:			
Max. Freq.:	12.4 GHz				Max. Freq.:			
Booting:	Booting: SMA Jack Straig				Booting:	MMCX Jack Straight		
					Clocking:	0°		
Amphenol CUSTOM CABLE CONTROLLED DOCUMENT - DO NOT COPY		THIS DRAWING MAY CONTAIN PATENTED OR PROPRIETARY INFORMATION AND MUST NOT BE USED FOR ANY PURPOSE DETRIMENTAL TO CUSTOM CABLE INC. IT MAY NOT BE REPRODUCED OR TRANSCRIBED IN ANY FORM WITHOUT THE WRITTEN CONSENT OF CUSTOM CABLE INC. ACCEPTANCE OF THIS DRAWING ESTABLISHES AND AGREEMENT OF THE FOREGOING.		BLE ED			UNLESS SPECIFIED TOLERANCE: 0-18 inches +/- 1/2" over 18" +/- 2% ASSEMBLY:	
							CENTER LABEL IF LENGTH IS LESS THAN 12 INCHES	



## **RoHS 2015/863 Compliance Statement**

According to the manufacture of all the component parts contained in this assembly, this product has been determined to be RoHS Compliant with RoHS Directive 2011/65/EU and as amended by Directive 2015/863, and without material exceptions (RoHS3 Complaint).

For the individual component RoHS certificates used in this assembly, please contact Amphenol Custom Cable.

The RoHS Compliance of any product so designated is based upon evidence from the producer (manufacturers') that the component parts comply with the RoHS Directive. Amphenol Custom Cable has taken all reasonable steps to confirm that the OEM (Manufacturer) of the components used in this assembly have provided evidence regarding the absence of the restricted substances to support the manufacturer's claim of compliance.

To the best of our knowledge and with due diligence, we certify that the product listed herein complies with the RoHS requirements.

Date: 10/2/2023

Part Number: Q-2X01L000R003I

Manufacturer: Amphenol Custom Cable

Description: SMA-ST-JK/MMCX-ST-JK G316D 3I

This information is valid as of the date indicated for the item (part number) listed.

**Director of Quality Assurance** 

Janice Frank