



**Data**  
**Physical data**

Width	2 mm / 0.079 inches
Height	72.5 mm / 2.854 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	35.1 mm / 1.382 inches
-------	------------------------

## Mechanical Data

Mounting type	snap-on type
---------------	--------------

## Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.093 MJ
Weight	3.1 g

## Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454654276
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Approvals / Certificates

### Declarations of conformity and manufacturer's declarations

Logo	Approval	Additional Approval Text	Certificate name
	<b>Railway</b> WAGO GmbH & Co. KG	-	Railway Ready

Subject to changes. Please also observe the further product documentation!



## Required accessories

### End plate

Through terminal block		
<b>Item no.: 2006-1302</b>	3-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/2006-1302">www.wago.com/2006-1302</a>
<b>Item no.: 2006-1304</b>	3-conductor through terminal block; 6 mm <sup>2</sup> ; for Ex e II and Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2006-1304">www.wago.com/2006-1304</a>
<b>Item no.: 2006-1301</b>	3-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2006-1301">www.wago.com/2006-1301</a>
<b>Item no.: 2206-1301</b>	3-conductor through terminal block; with push-button; 6 mm <sup>2</sup> ; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/2206-1301">www.wago.com/2206-1301</a>
<b>Item no.: 2206-1304</b>	3-conductor through terminal block; with push-button; 6 mm <sup>2</sup> ; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/2206-1304">www.wago.com/2206-1304</a>
<b>Item no.: 2006-1305</b>	3-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; black	<a href="http://www.wago.com/2006-1305">www.wago.com/2006-1305</a>
<b>Item no.: 2006-1301/000-001</b>	3-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; green	<a href="http://www.wago.com/2006-1301/000-001">www.wago.com/2006-1301/000-001</a>
<b>Item no.: 2006-1306</b>	3-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; yellow	<a href="http://www.wago.com/2006-1306">www.wago.com/2006-1306</a>
<b>Item no.: 2006-1301/000-014</b>	3-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; brown	<a href="http://www.wago.com/2006-1301/000-014">www.wago.com/2006-1301/000-014</a>
<b>Item no.: 2206-1305</b>	3-conductor through terminal block; with push-button; 6 mm <sup>2</sup> ; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; black	<a href="http://www.wago.com/2206-1305">www.wago.com/2206-1305</a>
<b>Item no.: 2006-1303</b>	3-conductor through terminal block; 6 mm <sup>2</sup> ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; red	<a href="http://www.wago.com/2006-1303">www.wago.com/2006-1303</a>
<b>Item no.: 2206-1303</b>	3-conductor through terminal block; with push-button; 6 mm <sup>2</sup> ; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm <sup>2</sup> ; red	<a href="http://www.wago.com/2206-1303">www.wago.com/2206-1303</a>
Ground terminal block		

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



**Item no.: 2006-1307**

3-conductor ground terminal block; 6 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; for [www.wago.com/2006-1307](http://www.wago.com/2006-1307)  
DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm<sup>2</sup>; green-yellow

**Item no.: 2206-1307**

3-conductor ground terminal block; with push-button; 6 mm<sup>2</sup>; with test port; side and center marking; for [www.wago.com/2206-1307](http://www.wago.com/2206-1307)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm<sup>2</sup>; green-yellow

## Downloads

### Documentation

#### Bid Text

2006-1394 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
--------------------------	--------------	---------------	----------

2006-1394 doc - Datei	2017 年4月28 日	doc 24.1 kB	Download
--------------------------	--------------	----------------	----------

#### Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

## CAD/CAE-Data

### CAD data

2D/3D Models 2006-1394		URL	Download
------------------------	--	-----	----------

### CAE data

EPLAN Data Portal 2006-1394		URL	Download
-----------------------------	--	-----	----------

WSCAD Universe 2006-1394		URL	Download
--------------------------	--	-----	----------

ZUKEN Portal 2006-1394		URL	Download
------------------------	--	-----	----------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 2006-1394 Seperator plate; 2 mm thick; oversized; orange		URL	Download
--	--	-----	----------

Subject to changes. Please also observe the further product documentation!



## Installation Notes

## Product family

### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!