

MODEL NUMBER
ADT-2810-NF-SMM-02

NOTES:

1.0 MATERIALS:


- 1.1 HOUSING, NUT & WASHER: STAINLESS STEEL PER ASTM-A582, TYPE 303
- 1.2 CENTER CONTACT: BERYLLIUM COPPER ROD ALLOY C172, PER ASTM-B196.
- 1.3 DIELECTRIC: PTFE FLUOROCARBON PER ASTM-D1457.

2.0 PLATING:

- 2.1 HOUSING, NUT & WASHER: PASSIVATED PER MIL-F-14072 AND QQ-P-35
- 2.2 CENTER CONTACT: GOLD PER MIL-G-45204, TYPE II, CLASS 2.

3.0 ELECTRICAL SPECIFICATIONS:

- 3.1 FREQUENCY: DC -18GHz
- 3.2 VSWZ: 1.20 MAX
- 3.3 IMPEDANCE: 50 OHMS
- 3.4 FINISH: PASSIVATED STAINLESS STEEL



<p>NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Emerson Network Power.</p> <p>UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 3 PLACE DECIMALS ±.005 2 PLACE DECIMALS ±.02 FRACTIONS ±1/64 PARALLELITY: T.I.R. _____ FLATNESS: T.I.R. _____ CONCENTRICITY: T.I.R. _____ ANGLES AND PERPENDICULARITY: ±1'</p>	<p>CAGE CODE 34078</p>	<p>MIDWEST MICROWAVE</p>	
	<p>EMERSON Network Power Connectivity Solutions</p>		<p>TITLE ADAPTER OUTLINE DRAWING</p>
<p>DRAWN/DATE L.BROWN 9/25/98</p>	<p>ENG./DATE G.KOZAK 9/29/98</p>	<p>DRAWING NUMBER ADT-2810-NF-SMM-02-01</p>	<p>REV. B</p>
<p>CHECKED/DATE</p>	<p>APPROVED/DATE</p>	<p>SCALE: 5=1</p>	<p>SHEET 1 of 1</p>

REV.	DESCRIPTION	DATE
-	RELEASED	9/29/98
-1	REPRINT	1/22/04
B	ECO 23152	1/44/11