

Specification Sheet

Part Number: 151-00017



Tape clips are designed to provide simple and easy methods of securing cable bundles, hoses, or pipes.

They are fastened onto the tape bar using tape or cable ties.

The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters.

Bundling Clip, 2.2" Long, 0.02–.24mm Panel Thick, 7.0–12.0mm Hole Dia, PA66HIRHS, Black, 1000/pkg

Article Number 151-00017

Type BC2212

Color Black (BK)

Quantity Per bag

Product Description HellermannTyton Stud Mount Bundling Clips are easily inserted on a 5mm stud and secure the bundle away from the mounting hole. They are designed to provide simple and easy methods of securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using tape or cable ties.

Short Description Bundling Clip, 2.2" Long, 0.02–.24mm Panel Thick, 7.0–12.0mm Hole Dia, PA66HIRHS, Black, 1000/pkg

Global Part Name BC2212-PA66HIRHS-BK

Length L (Imperial)	2.2
Length L (Metric)	55.0
Offset Length (Imperial)	0.90
Offset Length (Metric)	22.8
Fixation Method	Weld Stud Fixing
Width W (Imperial)	0.87
Width W (Metric)	34.0
Height H (Metric)	1.5
Diameter D (Imperial)	0.2
Stud Length Max (Imperial)	0.9
Stud Length Max (Metric)	22.8
Stud Diameter (Metric)	5.0 mm
Stud Diameter (Imperial)	0.20
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS

Flammability	UL 94 HB
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)