









	1	2	3	4	5	6	7																																														
A							Material	A																																													
B							1.Terminal body (metal housing): Brass(CuZn) 2.Terminal screw:Steel Zinc plating"-slot type 3.Contacts: Brass 4.Surface of solder tail:Tin plated 5. Insulator (housing): Thermoplastic (UL94V-0),Green	B																																													
C							Electrical cULus/ FIMKO 1.Voltage rating: 300VAC/300VAC 2.Current rating: 16A /17.5A 3.Wire range: 0.5-1.5mm 4.Solid wire(AWG): 12-28 5.Stranded wire(AWG): 12-28 6.Torque: 3.5 Lb-In/ 0.4N.m 7.Screw:M3 8.Wire strip length: 6-7mm 9.Withstanding Voltage: 1.6KV / 2.5KV 10.Operating temperature: -30°C to +105°C 11.Soldering temperature: 250°C±10°C/5 Sec 12.Safety Approval: cULus	C																																													
D								D																																													
E							P.C.B LAYOUT	E																																													
F	N=Number of contacts							F																																													
G	<b>RoHS compliant</b> Unit: mm  File No.: E349947		<table border="1"> <tr> <td>Scale</td> <td>1:1</td> <td></td> <td></td> <td></td> <td></td> <td>Date</td> <td>Name</td> <td>Customer-No.</td> </tr> <tr> <td>TOLERANCE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Drawn</td> <td>27.05.2009</td> <td>Dean</td> </tr> <tr> <td>X.</td> <td>±0.50</td> <td></td> <td></td> <td></td> <td></td> <td>Approved</td> <td>18.04.2016</td> <td>Joanna</td> </tr> <tr> <td>X.X</td> <td>±0.30</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>X.XX</td> <td>±0.10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>			Scale	1:1					Date	Name	Customer-No.	TOLERANCE						Drawn	27.05.2009	Dean	X.	±0.50					Approved	18.04.2016	Joanna	X.X	±0.30								X.XX	±0.10								ASSMANN WSW-No. <b>A-TB500-VIxxH</b>		G
Scale	1:1					Date	Name	Customer-No.																																													
TOLERANCE						Drawn	27.05.2009	Dean																																													
X.	±0.50					Approved	18.04.2016	Joanna																																													
X.X	±0.30																																																				
X.XX	±0.10																																																				
H	<table border="1"> <tr> <td>DIM</td> <td>TOL</td> <td>②</td> <td>Add UL</td> <td>18.04.2016</td> <td>Joanna</td> <td rowspan="3">  </td> <td>Drawing-No.</td> <td></td> </tr> <tr> <td>X.°</td> <td>±1°</td> <td>①</td> <td>Drawn</td> <td>27.05.2009</td> <td>Dean</td> <td><b>ASS 3525 CO</b></td> <td>rev02</td> </tr> <tr> <td>X.X°</td> <td>±X°</td> <td></td> <td></td> <td></td> <td></td> <td>Replace</td> <td>Sheet</td> </tr> <tr> <td>Angle</td> <td>TOL</td> <td>Id.</td> <td>Modification</td> <td>Date</td> <td>Name</td> <td></td> <td></td> <td></td> </tr> </table>			DIM	TOL	②	Add UL	18.04.2016	Joanna		Drawing-No.		X.°	±1°	①	Drawn	27.05.2009	Dean	<b>ASS 3525 CO</b>	rev02	X.X°	±X°					Replace	Sheet	Angle	TOL	Id.	Modification	Date	Name						H													
DIM	TOL	②	Add UL	18.04.2016	Joanna		Drawing-No.																																														
X.°	±1°	①	Drawn	27.05.2009	Dean		<b>ASS 3525 CO</b>	rev02																																													
X.X°	±X°						Replace	Sheet																																													
Angle	TOL	Id.	Modification	Date	Name																																																
	1	2	3	4	5	6	7	SV1501																																													