

Data sheet | Item number: 284-412

Jumper; for conductor entry; 2-way; insulated; gray

www.wago.com/284-412



Data

Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Ratings per IEC/EN

Rated current	125 A
---------------	-------

Physical data

Jumper assignment	1-2
-------------------	-----

Material Data

Note (material data)	Information on material specifications can be found here
Color	gray
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.05 MJ
Weight	13.7 g

Commercial data

eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	IN
GTIN	4045454074524
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

284-412	2019 年2月19 日	xml 2.6 kB	Download
---------	--------------	---------------	----------

Subject to changes. Please also observe the further product documentation!



X81 - Datei

284-412	2017 年9月19 日	doc	Download
doc - Datei		23.0 kB	

Additional Information

pdf	Download
2.2 MB	

CAD/CAE-Data

CAD data

2D/3D Models 284-412	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 284-412	URL	Download
------------------------	-----	----------

ZUKEN Portal 284-412	URL	Download
----------------------	-----	----------

EPLAN Data Portal 284-412	URL	Download
---------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 284-412	URL	Download
Jumper; for conductor entry; 2-way; insulated; gray		

Installation Notes

Commoning

Subject to changes. Please also observe the further product documentation!



Commoning with comb-style jumper bar.

Individual arrangement: 125 A

Two jumpers combined in one clamping unit:
100 A



Connecting 35 mm² (2 AWG) conductors to
commoned terminal blocks.

Screw clamp connection, side-entry wiring

Subject to changes. Please also observe the further product documentation!