




注記：  
 NOTES:  
 1. 適合リセプタクルハウジング: 3191-04R\*  
 TO BE MATED WITH RECEPTACLE HOUSING :  
 3191-04R\*





基板取付穴推奨寸法  
 RECOMMENDED P.C. BOARD HOLE DIMENSIONS



ENG. NO.	ORDER NO.	PIN STYLE	HSG. MATERIAL	PIN PLATING
5219-04A	15-31-1046	SOLID	94V-2 NYLON	TIN
5219-04B	15-31-3046	HOLLOW	94V-2 NYLON	TIN
5219-04A-201	39-28-7048	SOLID	94V-0 NYLON	TIN

ADD P/N 15-31-3046 EC NO: UCP2014-1950 DRWN: AELHAG 2013/12/16 CHKD: JBELL 2013/12/16 APPR: FSMITH 2013/12/19	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
	10 UNDER	±0.2	DRAWN BY K. KOHAMA	DATE '00/05/29	TITLE NEW INTERNATIONAL CONN 4 POS. HEADER  MOLEX INCORPORATED		
	10 OVER 30 UNDER	±0.25	CHECKED BY M. FUKUSHIMA	DATE '00/05/29			
	30 OVER	±0.3	APPROVED BY M. FUKUSHIMA	DATE '00/05/29			
ANGULAR ±3 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART	DOCUMENT NO. SD-5219-003	SHEET NO. 1 OF 1	


10	9	8	7	6	5	4	3	2	1
ENG. NO.	ORDER NO.	PIN STYLE	HSG. MATERIAL	PIN PLATING					
5219-04A	15-31-1046	SOLID	94V-2 NYLON	TIN					
5219-04B	15-31-3046	HOLLOW	94V-2 NYLON	TIN					



RECOMMENDED P.C.B. HOLE DIM.



- NOTES:
- MATERIAL:  
HOUSING: NYLON 6/6, UL94V-2, COLOR: NATURAL  
TERMINAL: BRASS
  - FINISH: 0.000003/(.0000001) MIN. TIN OVERALL OVER  
0.000001/(.00000004) MIN. NICKEL OVERALL
  - PRODUCT SPECIFICATION: NONE
  - PACKAGING: PK-5219-002
  - MATES WITH: 3191-04R SERIES
  - DIFFERENCE OF DIMENSION IS INTENTIONAL TO PREVENT PART RISING FROM P.C.B.
  - PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.



<b>CORRECT 2.8 DIM.</b> EC NO: UCP2014-4764 DRWN: JDOX 2014/05/14 CHKD:MKIPPER 2014/05/14 APPR:FSMITH 2014/05/27 K5	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM/IN</b>	SCALE <b>2:1</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION
		4 PLACES ± --- ± --- 3 PLACES ± --- ± .005 2 PLACES ± 0.13 ± .010 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	DRAWN BY A.ASO	DATE 1979/04/08	TITLE <b>NEW INTERNATIONAL CONN. HEADER AND ASSY</b>		
		ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	CHECKED BY MENOMOTO	DATE 1979/04/10	<b>molex</b>		
		MATERIAL NO. <b>SEE CHART</b>	APPROVED BY DATE	DOCUMENT NO. <b>SD-5219-04A*</b>	SHEET NO. <b>1 OF 1</b>		