

#### Z-PACK | Z-PACK 2mm HM

TE Internal #: 5106014-1 Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 25 Column, 5 Row, Mezzanine, 125 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM

#### View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Backplane Connectors >



Hard Metric Backplane Male Connector: Right Angle, Coplanar, 2mm

PCB Connector Assembly Type: PCB Mount Header

Data Rate: **≤1 Gb/s** 

Number of Columns: 25

Number of Rows: 5

Backplane Architecture: Mezzanine

All Hard Metric Backplane Male Connector: Right Angle, Coplanar, 2mm (21)



### Features

#### **Product Type Features**

| Backplane Interface Type          | 2mm HM                |  |
|-----------------------------------|-----------------------|--|
| PCB Connector Assembly Type       | PCB Mount Header      |  |
| Connector System                  | Board-to-Board        |  |
| Sealable                          | No                    |  |
| Connector & Contact Terminates To | Printed Circuit Board |  |
| Configuration Features            |                       |  |
| Number of Columns                 | 25                    |  |
| Number of Rows                    | 5                     |  |
| Backplane Architecture            | Mezzanine             |  |
| Number of Positions               | 125                   |  |
| PCB Mount Orientation             | Right Angle           |  |
|                                   |                       |  |

#### Signal Characteristics

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 25 Column, 5 Row, Mezzanine, 125 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM



| Crosstalk Version                              | Standard                               |  |
|--|--|--|
| Data Rate                                      | ≤1 Gb/s                                |  |
| Body Features                                  |  |  |
| Primary Product Color                          | Gray                                   |  |
| Contact Features                               |  |  |
| Feedthrough Post Length                        | 3.7 mm                                 |  |
| CompactPCI Designation                         | None                                   |  |
| Contact Type                                   | Pin                                    |  |
| Contact Underplating Material                  | Nickel                                 |  |
| PCB Contact Termination Area Plating Material  | Tin                                    |  |
| Contact Base Material                          | Phosphor Bronze                        |  |
| Contact Mating Area Plating Material           | Gold, Gold Flash over Palladium Nickel |  |
| Contact Mating Area Plating Material Thickness | .76 μm[30 μin]                         |  |
| Contact Current Rating (Max)                   | 1.5 A                                  |  |
| Termination Features                           |  |  |
| Termination Method to Printed Circuit Board    | Through Hole - Press-Fit               |  |
|  |  |  |

## **Mechanical Attachment**

| Front Mating Level  | Level 1  |  |
|---|--|--|
| Connector Mounting Type   | Board Mount  |  |
| Housing Features  |  |  |
| Housing Material  | Polyester - GF                                     |  |
| Centerline (Pitch)  | 2 mm[.078 in]                                      |  |
| Dimensions  |  |  |
| Backplane Module Length   | 50 mm  |  |
| Usage Conditions  |  |  |
| Operating Temperature Range   | -55 – 125 °C[-67 – 257 °F]                         |  |
| Operation/Application   |  |  |
| Shielded  | No   |  |
| Circuit Application   | Power & Signal                                     |  |
| Industry Standards  |  |  |
| UL Flammability Rating  | UL 94V-0   |  |
| Usage Conditions<br>Operating Temperature Range<br>Operation/Application<br>Shielded<br>Circuit Application<br>Industry Standards | -55 – 125 °C[-67 – 257 °F]<br>No<br>Power & Signal |  |

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 25 Column, 5 Row, Mezzanine, 125 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM



#### Packaging Features

| Packaging Quantity          | 11   |
|-----------------------------|--|
| Packaging Method            | Tube   |
| Other                       |  |
| Backplane Connector Comment | Warning: Card extender male connectors should not be used with cable connectors. |

# **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |  |
|---|---|--|
| EU ELV Directive 2000/53/EC                   | Compliant   |  |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |  |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2023<br>(235)<br>Candidate List Declared Against: JUNE<br>2023 (235)<br>Does not contain REACH SVHC |  |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900<br>ppm.   |  |
| Solder Process Capability                     | Not applicable for solder process capability  |  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 25 Column, 5 Row, Mezzanine, 125 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM





# Also in the Series Z-PACK 2mm HM




| Board-to-Board Connector Contacts(2) | Hard Metric Backplane Connectors<br>(269) | High Speed Backplane Connectors(1) | Insertion & Extraction Tools(2)  |
|--------------------------------------|---|------------------------------------|----------------------------------|
|                                      |   |                                    |                                  |
| PCB Connector Covers(4)              | PCB Connector Shrouds(39)                 | PCB Ferrules & Shields(19)         | Rectangular Power Connectors(87) |

# Customers Also Bought



Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 25 Column, 5 Row, Mezzanine, 125 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM







# Documents

**Product Drawings** Z-PACK/B RAMH.125P.

English

**CAD** Files **Customer View Model** ENG\_CVM\_CVM\_5106014-1\_A.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_5106014-1\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_5106014-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

**Product Specifications Application Specification** 

English

**Product Environmental Compliance TE Material Declaration** 

English