


Micro-MaTch | Micro-MaTch Industrial TE Internal #: 2205064-1 MICRO-MATCH MOW Cable Assembly, 12 Positions, .246 ft [.075 m], Gray Cable, Equalized, 28 AWG, 159.8 – 159.88 mm², Ribbon Cable, MICRO-MATCH MOW Plug

View on TE.com >



Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies > MICRO-MATCH STD MOW TO MOW CABLE ASSY



Cable Assembly Type: MICRO-MATCH MOW

Keyed Position: 1

Equalized: Yes

Wire Size: 159.8 – 159.88 mm²

All MICRO-MATCH STD MOW TO MOW CABLE ASSY (27)

Features

Product Type Features

Cable Assembly Category

Cable Assembly Type

Industry Standard

MICRO-MATCH MOW

Connector Type (End A)	MICRO-MATCH MOW Plug
Connector Type (End B)	MICRO-MATCH MOW Plug
Cable Style	Ribbon Cable
Configuration Features	
Keyed Position	1
Number of Positions	12
Number of Signal Positions	12
Body Features	
Equalized	Yes
Cable Color	Gray
Cable Flammability Rating	UL 2651
Mechanical Attachment	
Mating Alignment	With
Dimensions	

C For support call+1 800 522 6752

08/09/2023 01:46PM | Page 1

2205064-1

MICRO-MATCH MOW Cable Assembly, 12 Positions, .246 ft [.075 m], Gray Cable, Equalized, 28 AWG, 159.8 – 159.88 mm², Ribbon Cable, MICRO-MATCH MOW Plug



	150.0 150.00 3
Wire Size	159.8 – 159.88 mm²
Operation/Application	
Shielded	No
Halogen Free	No
Other	
Cable Assembly Configuration	Double Ended
Cable Assembly Length	.075 m[.246 ft]
FU RoHS Directive 2011/65/FU	Compliant
EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant Compliant
	·
EU ELV Directive 2000/53/EC	Compliant No Restricted Materials Above Threshold Current ECHA Candidate List: JUNE 2023 (235)
EU ELV Directive 2000/53/EC China RoHS 2 Directive MIIT Order No 32, 2016	Compliant No Restricted Materials Above Threshold Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE
EU ELV Directive 2000/53/EC China RoHS 2 Directive MIIT Order No 32, 2016	Compliant No Restricted Materials Above Threshold Current ECHA Candidate List: JUNE 2023 (235)

ppm.

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

2205064-1


MICRO-MATCH MOW Cable Assembly, 12 Positions, .246 ft [.075 m], Gray Cable, Equalized, 28 AWG, 159.8 – 159.88 mm², Ribbon Cable, MICRO-MATCH MOW Plug





TE Part # CAT-M5833-F3492A Female-on-Board Connector, Top Entry


Also in the Series | Micro-MaTch Industrial







Customers Also Bought



2205064-1

MICRO-MATCH MOW Cable Assembly, 12 Positions, .246 ft [.075 m], Gray Cable, Equalized, 28 AWG, 159.8 – 159.88 mm², Ribbon Cable, MICRO-MATCH MOW Plug



Documents

Product Drawings CA MICRO-MATCH MOW-MOW 12POS

English

Product Specifications

Application Specification

English

micro match miniature connector system

English