

13 FOOT STANDOUT WIDE, TOUGH, & DURABLE BLADE



Performance and durability expected
by professional tradespeople

**TOUGH
BLADE**

13 FOOT STANDOUT



IMPACT RESISTANT HOUSING

OVER-MOLDED WITH A SOFT TOUCH FINISH FOR EXCELLENT GRIP — STANDS UP TO JOBSITE DEMANDS




**TOUGH
BLADE**

HEAVY-DUTY, TOUGH,

DURABLE NYLON-COATING

PROTECTS BLADE PRINTING AND DELIVERS LONGER BLADE LIFE



CONDUIT BENDING TABLE AND 3-PHASE

LAYOUT GUIDE PRINTED ON BACK-SIDE OF TAPE FOR CONVENIENCE





TETHER
CAPABLE

STRONG MAGNETIC DOUBLE-HOOK
ATTACHES TO CONDUIT AND STEEL
STUDS. DOUBLE-HOOK ALLOWS FOR
VIEWING THE MEASUREMENT SCALES
PRINTED ON FRONT OR BACK OF TAPE



RETRACTION SPEED BRAKE CONTROLS
BLADE SPEED AND PROTECTS FINGERS
FROM TOUCHING BLADE

**UNCLUTTERED,
EASY-TO-READ
BOLD LINES**
MARKED ON BLADE
EVERY 1/8-INCH

3-PHASE
TABLE

120/240V	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
A-Black	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
B-Red	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
C-Blue	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100

PERFORMANCE AND DURABILITY EXPECTED BY PROFESSIONAL TRADESPEOPLE



Cat. No.	UPC 0-92644+	Blade Length	Hook	Magnetic	Measurement Scale	Tape Print
9216	69266-6	16' (4.9m)	Double	Yes	Imperial	Double-sided
9125	69267-3	25' (7.6m)	Single	No	Imperial	One-Sided
9225	69269-7	25' (7.6m)	Double	Yes	Imperial	Double-sided
9230	69272-7	30' (9.1m)	Double	Yes	Imperial	Double-sided
9375	69271-0	7.5m (24.6')	Double	Yes	Metric and Imperial	Double-sided



*Visit www.kleintools.com for safety warnings. Failure to follow all instructions and warnings may result in personal injury.
 † CE applies to #9375 only.
 US Patent D803711

Tape Measure Holders



5195



5196



5195TT



5707



5712

Holder Cat. No.	UPC 0-92644+	Description	Fits Tape Measures
5195	55078-2	Medium Leather Pouch	9216
5196	55092-8	Large Leather Pouch	9125, 9225, 9375, 9230
5195TT	55537-4	Tape Measure Holder With Ring	9216
5707	55167-3	Nylon Tape Measure Clip/Holder	9216, 9125, 9225, 9375, 9230
5712	55131-4	Nylon Pouch	9216, 9125, 9225, 9375, 9230



See our complete line of Levels & Measuring Tools

www.kleintools.com



© 2019 Klein Tools, Inc.
 Lincolnshire, IL 60069
 82889 Rev. 08/19 A