

Data sheet | Item number: 2006-8691

End and intermediate plate; 1 mm thick; gray

www.wago.com/2006-8691



Color:

Data

Physical data

| | |
|--------|-------------------------|
| Width | 1 mm / 0.039 inches |
| Height | 106.5 mm / 4.193 inches |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



| | |
|-------|------------------------|
| Depth | 31.6 mm / 1.244 inches |
|-------|------------------------|

Mechanical Data

| | |
|---------------|--------------|
| Mounting type | snap-on type |
|---------------|--------------|

Material Data

| | |
|----------------------|--|
| Note (material data) | Information on material specifications can be found here |
|----------------------|--|

| | |
|-----------------------------|------------------|
| Color | gray |
| Material group | I |
| Insulation material | Polyamide (PA66) |
| Flammability class per UL94 | V0 |
| Fire load | 0.13 MJ |
| Weight | 3.7 g |

Commercial data

| | |
|-----------------------|---------------|
| Product Group | 22 (TOPJOB S) |
| eCl@ss 10.0 | 27-14-11-33 |
| eCl@ss 9.0 | 27-14-11-33 |
| ETIM 8.0 | EC000886 |
| ETIM 7.0 | EC000886 |
| PU (SPU) | 48 (12) pcs |
| Packaging type | box |
| Country of origin | DE |
| GTIN | 4050821372523 |
| Customs tariff number | 85389099990 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Approvals / Certificates

Declarations of conformity and manufacturer's declarations

| Logo | Approval | Additional Approval Text | Certificate name |
|------|--------------------------------------|--------------------------|------------------|
| | Railway WAGO GmbH & Co. KG | - | Railway Ready |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Required accessories

End plate

| Through terminal block | | |
|--|---|--|
| Item no.: 2006-8604 | 2-conductor through terminal block; 6 mm ² ; with test option; same profile as 2-conductor disconnect terminal block; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; blue | www.wago.com/2006-8604 |
| Item no.: 2006-8601 | 2-conductor through terminal block; 6 mm ² ; with test option; same profile as 2-conductor disconnect terminal block; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray | www.wago.com/2006-8601 |
| Disconnect terminal block for test and measurement | | |
| Item no.: 2006-8671 | 2-conductor disconnect/test terminal block; with pivoting knife disconnect; with test option; orange disconnect link; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; gray | www.wago.com/2006-8671 |
| Item no.: 2006-8674 | 2-conductor disconnect/test terminal block; with pivoting knife disconnect; with test option; orange disconnect link; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; blue | www.wago.com/2006-8674 |
| Carrier terminal block for modules and plugs | | |
| Item no.: 2006-8661 | 2-conductor carrier terminal block; with test option; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; gray | www.wago.com/2006-8661 |
| Item no.: 2006-8664 | 2-conductor carrier terminal block; with test option; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm ² ; Push-in CAGE CLAMP®; 6,00 mm ² ; blue | www.wago.com/2006-8664 |

Downloads

Documentation

Bid Text

| | | | |
|--------------------------|-------------|----------------|----------|
| 2006-8691 X81 - Datei | 2019 年2月19日 | xml 2.6 kB | Download |
| 2006-8691 doc - Datei | 2017 年4月28日 | doc 24.1 kB | Download |

Additional Information

pdf
2.3 MB
Download

CAD/CAE-Data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



CAE data

| | | |
|---|---------------------|--------------------------|
| EPLAN Data Portal 2006-8691 | URL | Download |
| WSCAD Universe 2006-8691 | URL | Download |
| ZUKEN Portal 2006-8691 | URL | Download |

CAD data

| | | |
|--|---------------------|--------------------------|
| 2D/3D Models 2006-8691 | URL | Download |
|--|---------------------|--------------------------|

Environmental Product Compliance

Compliance Search

| | | |
|--|---------------------|--------------------------|
| Environmental Product Compliance 2006-8691 End and intermediate plate; 1 mm thick; gray | URL | Download |
|--|---------------------|--------------------------|

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!