
# 368542-1 - ACTIVE

# Multilock Connector System TE Internal #: 368542-1 Wire-to-Wire, 12 Position, Natural, Signal, Cable Mount (Free-Hanging), Multilock Connector System View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > MULTILOCK, CONNECTOR HOUSING



Mating Tab Width: 1.8 mm [.071 in ]

Connector System: Wire-to-Wire

Number of Positions: 12

Sealable: No

Hybrid Connector: No

All MULTILOCK, CONNECTOR HOUSING (567)

### Features

### Product Type Features

 Connector Shape
 Rectangular

 Connector System
 Wire-to-Wire

Sealable	No
Hybrid Connector	No
Configuration Features	
Number of Positions	12
Number of Rows	2
Body Features	
Primary Product Color	Natural
Contact Features	
Contact Size	1.8mm
Mating Tab Width	1.8 mm[.071 in]
Mechanical Attachment	
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarized
Mating Alignment	With

**C** For support call+1 800 522 6752

Wire-to-Wire, 12 Position, Natural, Signal, Cable Mount (Free-Hanging), Multilock Connector System



Connector Mounting Type	Cable Mount (Free-Hanging)	
Housing Features		
Housing Material	PBT GF	
Dimensions		
Connector Height	21.6 mm[.85 in]	
Product Width	26 mm[1.024 in]	
Product Length	31.9 mm[1.255 in]	
Row-to-Row Spacing	5.9 mm[.232 in]	
Operation/Application		
Circuit Application	Signal	
Packaging Features		
Packaging Quantity	200	
Packaging Method	Bag	
Other		
Connector Position Assurance Capable	No	

## **Product Compliance**

#### For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

Wire-to-Wire, 12 Position, Natural, Signal, Cable Mount (Free-Hanging), Multilock Connector System



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Also in the Series | Multilock Connector System



A CONTRACTION OF THE SECOND OF			
Automotive Terminals(141)	Connector Seals & Cavity Plugs(2)	Insertion & Extraction Tools(6)	Other Automotive Connector Accessories(14)




PCB Headers & Receptacles(142)

**Customers Also Bought** 

Wire-to-Wire, 12 Position, Natural, Signal, Cable Mount (Free-Hanging), Multilock Connector System





TE Part #2294463-1 MCON 1.2 CB TAB MONO TE Part #1813018-5 MINI FUSE RECEPTACLE

### Documents

Product Drawings 070 MLC PLUG 12P HSG

English

#### **CAD** Files

Customer View Model ENG\_CVM\_CVM\_368542-1\_A.2d\_dxf.zip

English

### 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_368542-1\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_368542-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

**C** For support call+1 800 522 6752

Wire-to-Wire, 12 Position, Natural, Signal, Cable Mount (Free-Hanging), Multilock Connector System



## MULTILOCK Connector System

English

**Product Specifications** 

070 MLC Series

English

# Agency Approvals

UL Report

English