



Main

| | |
|------------------------------------|----------------------------------|
| Range of Product | Telemecanique Cabling components |
| Accessory / separate part category | Cabling accessory |
| Accessory / Separate Part Type | Pre-wired connectors |
| Series name | Application |

Complementary

| | |
|--------------------------------|---------------------------------------|
| Electrical connection | Straight female connector M12, 8 pins |
| Cable connector fixing | Screw-on |
| Collar material | Nickel plated brass |
| Status LED | Without |
| Cable length | 32.81 ft (10 m) |
| Cable outer diameter | 0.25 in (6.4 mm) |
| Cable composition | 8 x 0.34 mm ² |
| Wire insulation material | PUR |
| [Ue] rated operational voltage | 30 V AC 36 V DC |
| Line Rated Current | 2 A |
| Contact resistance | 5000 µOhm |
| Minimum insulating resistance | 1 GΩ |
| Net Weight | 1.04 lb(US) (0.47 kg) |

Environment

| | |
|-------------------------------------|----------------------------|
| IP Degree of Protection | IP69K IP67 IP65 |
| Ambient Air Temperature for Storage | -40...194 °F (-40...90 °C) |




Ordering and shipping details

| | |
|-----------------------|-----------------------------|
| Category | 22499 - SENSORS ACCESSORIES |
| Discount Schedule | DS2 |
| GTIN | 3389119028332 |
| Nbr. of units in pkg. | 1 |
| Package weight(Lbs) | 19.68 oz (558 g) |
| Returnability | Yes |
| Country of origin | CZ |

Packing Units

| | |
|------------------------------|-----------------------|
| Unit Type of Package 1 | PCE |
| Package 1 Height | 1.77 in (4.5 cm) |
| Package 1 width | 7.99 in (20.3 cm) |
| Package 1 Length | 7.60 in (19.3 cm) |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 5 |
| Package 2 Weight | 6.77 lb(US) (3.07 kg) |
| Package 2 Height | 5.91 in (15 cm) |
| Package 2 width | 11.81 in (30 cm) |
| Package 2 Length | 15.75 in (40 cm) |

Offer Sustainability


| | |
|----------------------------|---|
| California proposition 65 | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |
| REACH Regulation |  REACH Declaration |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope)  EU RoHS Declaration |
| Mercury free | Yes |
| RoHS exemption information |  Yes |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Connections and Schemes

Connectors



- GY : Grey
- PK : Pink
- VT : Violet
- BN : Brown
- OG : Orange
- WH : White
- BU : Blue
- BK : Black