24 INCHES LENGTH



Connector A 132119 SMA Jack Straight Bulkhead - Rear Mount Brass Gold + Heatshrink 50 Ohm RG-316 Continuity/Hi-Pot Connector B 252138 MCX Jack Straight Brass Nickel + Heatshrink

Assembly & Label Notes

Assembly label to be placed ~ 2" from end of connector A and/ or heat shrink Assembly shall be built with SN96.5 LEAD FREE solder. See Routing Notes for additional assembly & testing instructions.

	Connector A			Cable		Connector B		
Type: Genda Body Conta Polari Imped Moun Body Body IP Rat Conta Conta	ription: SMA BHD JK RG : SMA ler: Jack Type: Straight act Type: Solder ity: Standard dance: 50 Ohm nting: Bulkhead - Rear Material: Brass Finish: Gold ting: None act Material: Beryllium Copper act Finish: Gold Freq.: 12.4 GHz		Part #: Description: Dielectric: Shielding: Diameter: Impedance: Sheathing: Testing: Length:	RG-316 - ST 0.102 ST Braid 0.102 50 Ohm None Continuity Hi-Pot 24 Inches	Part #: Description: Type: Gender: Body Type: Contact Type: Polarity: Impedance: Mounting: Body Material: Body Finish: IP Rating: Contact Material: Contact Finish: Max. Freq.: Booting: Clocking:	252138 MCX JK RG174 RG MCX Jack Straight Crimp Standard 50 Ohm Cable Brass Nickel None Beryllium Copper Gold 6 GHz MCX Jack Straight 0°	MCX JK RG174 RG316 LMR100 500 MCX Jack Straight Crimp Standard 50 Ohm Cable Brass Nickel None Beryllium Copper Gold 6 GHz MCX Jack Straight	
Amphenol CUSTOM CABLE		PROPRIETARY INFORMATION A FOR ANY PURPOSE DETRIMEN INC. IT MAY NOT BE REPRODU IN ANY FORM WITHOUT THE W CUSTOM CABLE INC. ACCEPTA	HIS DRAWING MAY CONTAIN PATENTED OR ROPRIETARY INFORMATION AND MUST NOT BE USED OR ANY PURPOSE DETRIMENTAL TO CUSTOM CABLE VC. IT MAY NOT BE REPRODUCED OR TRANSCRIBED V ANY FORM WITHOUT THE WITTEN CONSENT OF USTOM CABLE INC. ACCEPTANCE OF THIS DRAWING STABLISHES AND AGREEMENT OF THE FOREGOING.		Title: SMA-ST-JK/MCX-ST-JK G316 24I Part No: Q-2W0140005024I		UNLESS SPECIFIED TOLERANCE: 0-18 inches +/- 1/2" over 18" +/- 2% ASSEMBLY: CENTER LABEL IF LENGTH IS LESS THAN 12 INCHES	



RoHS 2015/863 Compliance Statement

According to the manufacture of all the component parts contained in this assembly, this product has been determined to be RoHS Compliant with RoHS Directive 2011/65/EU and as amended by Directive 2015/863, and without material exceptions (RoHS3 Complaint).

For the individual component RoHS certificates used in this assembly, please contact Amphenol Custom Cable.

The RoHS Compliance of any product so designated is based upon evidence from the producer (manufacturers') that the component parts comply with the RoHS Directive. Amphenol Custom Cable has taken all reasonable steps to confirm that the OEM (Manufacturer) of the components used in this assembly have provided evidence regarding the absence of the restricted substances to support the manufacturer's claim of compliance.

To the best of our knowledge and with due diligence, we certify that the product listed herein complies with the RoHS requirements.

Date: 10/1/2023

Part Number: Q-2W0140005024I

Manufacturer: Amphenol Custom Cable

Description: SMA-ST-JK/MCX-ST-JK G316 24I

This information is valid as of the date indicated for the item (part number) listed.

Director of Quality Assurance

Janice Frank