

TITLE: CONTACT, PIN, SOLID, SIZE 16, 14AWG, AT/AHD-9 SERIES DWG NO: AT60-215-16XXX REV: A6 SH: 1 OF: 1

REVISIONS								
REV	ECO		DESC	CRIPTION	DATE		BY	APPR
A4	-	RELEAS	E NEW	DWG FORMAT	16/JU	L/13	JARRY	-
A5	-	ADD	DED CO	LOR BAND	16DEC	2015	JAH	-
A6	-	MATCHED	DIMS 1	O NEW TOOLING	28JAN	2015	JAH	-





NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: COPPER ALLOY

2. PLATING: SEE PART NUMBER CHART

3. CONTACT SIZE: 16

4. SPECIFICATIONS:

4.1 CURRENT RATING: 13 AMPS

4.2 CONTACT MILLIVOLT DROP: 60 MILLIVOLT DROP @ 13 AMP TEST CURRENT.

4.3 RoHS COMPLIANT

5. RECOMMENDED WIRE RANGE: 14 AWG

6. AVAILABLE HAND CRIMPER: CA-5D12

7. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY

PART NUMBER CHART						
PLATING	PART NUMBER					
GOLD	AT60-215-1631					
NICKEL	AT60-215-16141					

SEE PART NUMBER CHART

	PART NUMBER			DESCRIPTION						ITEM
QUANTITY		MATERIALS LIST								
UNLESS OTHERWISE SPECIFIED		SIGNATURES DATE		DATE		Λ ~	n h	200	I	
 All dimensions are in metric(mm). Tolerances are as follows: PL DEC ±0.30 Fractions +1/64 		DRAWN: JARRY	16	JUL/13	Amphenol					
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:			-	Sine Syste	ine Systems - www.amphenol-sine.com			_
3) Note reference = X MATERIAL SPECIFICATIONS: PROCESS SPECIFICATIONS: NEXT ASSY:		ENGINEER:		44724 Morley Drive Clinton Township, MI 48036						
		APPROVAL:				Cilitio	ii Township, Mi 4	5030		
		CUSTOMER:			CONTACT, PIN, SOLID, SIZE 16,					
		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES.			14AWG, AT/AHD-9 SERIES					
		SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL		A C	;-	AT60-215-	16XXX	FE'	16	
				SCALE: NON	E		SHEET 1	OF	1	