



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories >

LEAVYSEAL Mounting Accessories



Automotive Connector Accessory Type: **Flange Assembly**

Primary Product Material: **PBT GF**

Primary Product Color: **Black**

Number of Positions: **39, 62**

Operating Temperature Range: **-40 – 140 °C [-40 – 284 °F]**

[All LEAVYSEAL Mounting Accessories \(8\)](#)

## Features

### Product Type Features

Automotive Connector Accessory Type	Flange Assembly
-------------------------------------	-----------------

### Configuration Features

Number of Positions	39, 62
---------------------	--------

### Body Features

Primary Product Material	PBT GF
Primary Product Color	Black

### Usage Conditions

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
-----------------------------	----------------------------

### Industry Standards

UL Flammability Rating	UL 94HB
------------------------	---------

### Packaging Features

Packaging Quantity	1
--------------------	---



Packaging Method	Package
Other	
Serviceable	Yes

### Product Compliance


[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



## Also in the Series | LEAVYSEAL



Automotive Connector Caps & Covers (17)




Automotive Housings(73)



Insertion & Extraction Tools(5)



Other Automotive Connector Accessories(15)



PCB Headers & Receptacles(16)

## Customers Also Bought



TE Part #HDP26-18-14SE  
DEUTSCH HDP20 Housings



TE Part #DTM04-3P-E003  
DEUTSCH DTM Housings



TE Part #DT06-2S-CE05  
PLG, 2P, BLK, E, SEAL RET, CAP



TE Part #1813123-2  
ASSY FOR SUPPORT PLATE AND SEALING



TE Part #1416010-1  
V23132A2001B200



TE Part #1062-20-0222  
SOC, SF, SIZE 20, 16-22, NI/NI



TE Part #0411-336-1605  
EXT TOOL, SIZE 16, 16-20 AWG, E, DRK BLU

## Documents

### Product Drawings

4 bay mounting frame assembly

English

### CAD Files

3D PDF

3D



**Customer View Model**

[ENG\\_CVM\\_CVM\\_2098891-2\\_A.2d\\_dxf.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_2098891-2\\_A.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_2098891-2\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

**Product Specifications**

[Application Specification](#)

German