

1393367-1 ✓ ACTIVE

AMP | [Get .64 Connector System](#)

TE Internal #: 1393367-1

Automotive Terminals, Receptacle, Mating Tab Width 1 mm [.039 in], Tab Thickness .64 mm [.025 in], 24 – 22 AWG Wire Size, Get .64 Connector System

[View on TE.com >](#)



Terminals & Splices > Automotive Terminals > GET .64 CONNECTOR SYSTEM, RECEPT AND TAB

Terminal Type: **Receptacle**

Mating Tab Width: **1 mm [.039 in]**

Mating Tab Thickness: **.64 mm [.025 in]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **24 – 22 AWG**

[All GET .64 CONNECTOR SYSTEM, RECEPT AND TAB \(29\)](#)

## Features

### Product Type Features

Receptacle Style	180°
Sealable	No
Primary Locking Feature	Clean Body

### Contact Features

Contact Size	.64mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Typical Current Rating	9 A
Crimp Type	F-Crimp
Terminal Type	Receptacle
Mating Tab Width	1 mm [.039 in]
Mating Tab Thickness	.64 mm [.025 in]
Interface Plating	Tin (Sn)

### Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire

### Dimensions

Compatible Insulation Diameter Range	1.2 – 1.4 mm [.043 – .065 in]
Wire Size	.22 – .35 mm <sup>2</sup>



Wire Size Search	22 AWG, 23 AWG, 24 AWG
------------------	------------------------

### Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C[176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]

### Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

### Packaging Features

Packaging Quantity	10000
Packaging Method	Reel

### Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts

<p>TE Part # CAT-G3353-CH8172 GET .64 CONNECTOR SYSTEM, CONNECTOR HSG</p>	<p>TE Part # 1-1419168-1 MARKET 1X6 FEMALE SEALED</p>	<p>TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp</p>	<p>TE Part # 1-1419158-6 GET MALE TERM, A, SN, REREEL</p>
<p>TE Part # 2278398-1 3WAY GET 0.64 SEAL PLUG</p>	<p>TE Part # 2151540-1 OCEAN_2.0_APPLICATOR-S- 055F0700</p>	<p>TE Part # 1411001-6 SEALED HARN ASSY W CPA KEY B</p>	<p>TE Part # 2203663-6 2X9 SEALED PLUG ASSY KEY B</p>
<p>TE Part # 1924639-2 1X8 FEMALE ASSY KEY D, LP LATC</p>	<p>TE Part # 2272431-3 1X6 GET UNSLD SIDE LATCH PLUG, KEY C</p>	<p>TE Part # 1452842-3 22 POS FEMALE HSG ASSY</p>	<p>TE Part # 1411001-7 2x4 SEALED HARN ASSY W/O CPA</p>
<p>TE Part # 2-2151540-1 OCEAN_2.0_APPLICATOR-S- 055F0700</p>	<p>TE Part # 2-2151540-2 OCEAN_2.0_APPLICATOR-S- 055F0700</p>	<p>TE Part # 2151540-2 OCEAN_2.0_APPLICATOR-S- 055F0700</p>	<p>TE Part # 2272006-1 Plug Assembly, 20P GET, w/o CPA</p>



TE Part # 2272431-4  
1X6 GET UNSLD SIDE LATCH PLUG,  
KEY D

TE Part # 2382775-2  
SDE F GET PIN/SCKT 0.35-0.22mm2  
DIE SET

TE Part # 7-2151540-1  
OCEAN\_2.0\_APPLICATOR-S-  
055F0700

TE Part # 7-2151540-2  
OCEAN\_2.0\_APPLICATOR-S-  
055F0700

### Also in the Series | **Get .64 Connector System**

Automotive Connector Caps & Covers  
(7)

Automotive Housings(118)

Automotive Terminals(30)

Insertion & Extraction Tools(1)

PCB Headers & Receptacles(1)

### Customers Also Bought

TE Part #965413-1  
6POS MQS REC

TE Part #1355881-1  
MQS GRIFFSCHALE 6P

TE Part #2-2317658-2  
AV25 DPM 3A MOVING RING POWER  
RED 24V


TE Part #1456867-3  
GET .64 CONNECTOR SYSTEM,  
CONNECTOR HSG

TE Part #1438299-2  
GET MALE TERM, A, SN

TE Part #2035363-2  
1X6 GENERATION Y ASSY KEYB CPA

TE Part #1-2208021-3  
22POS,0.64 GENER. Y,REC HSG,ASSY

TE Part #2315584-2  
1POS,JPT,REC HSG ASSY,UNSLD



## Documents

### Product Drawings

[V23540X7000Y 11=GET-FEM TERM S](#)

English

[V23540X7000Y 11=GET-FEM TERM S](#)

English

### CAD Files

[3D PDF](#)

3D

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1393367-1\\_B.2d\\_dxf.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1393367-1\\_B.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_1393367-1\\_B.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Datasheets & Catalog Pages

[GET 0.64 Interconnection System](#)

English

### Product Specifications

[Application Specification](#)

English

[Application Specification](#)

German

[Application Specification](#)

English

### Instruction Sheets

[UNSEALED GET/MCP 81/40 SLIDER LEVER TYPE CONNECTOR](#)

Japanese

[Instruction Sheet \(non U.S.\)](#)

1393367-1

Automotive Terminals, Receptacle, Mating Tab Width 1 mm [.039 in], Tab Thickness .64 mm [.025 in], 24 – 22 AWG Wire Size, Get .64 Connector System



Japanese