




REVISIONS				
P	LTN	DESCRIPTION	DATE	OWN APVD
P		REVISED AS PER ECN-21-132059	21DEC2021	KK AK
P1		REVISED AS PER ECN-22-158730	13JUN2022	KK AK
P2		REVISED AS PER ECN-23-197955	09FEB2023	MT GL
P3		REVISED AS PER ECN-23-205387	28MAR2023	MT GL



△ LABEL INFORMATION: -1 SHOWN.



SERIAL NUMBER:  
 P P P P P - 6-DIGIT, BASE 34, ALPHANUMERIC CHARACTERS  
 (EXCLUDES 1 AND 0)  
 L = MANUFACTURING LOCATION CODE  
 Y Y W W = DATE CODE, 2-DIGIT YEAR, 2-DIGIT WEEK  
 R = 0 AND 1 FOR PCBA TRACEABILITY  
 S S S = 3-DIGIT, BASE 34, SERIAL ALPHANUMERIC CHARACTERS  
 (EXCLUDES 1 AND 0)

- SEE SHEET 2 FOR WIRING SCHEMATIC.
- PRODUCT AND PROCESSING MEETS THE REQUIREMENTS OF  
TE SPECIFICATION TEC-138-702 (CONTAINS NO BANNED OR RESTRICTED SUBSTANCES).
- CABLE ASSEMBLY TO BE TESTED FOR OPENS, SHORTS AND  
PROPER EEPROM PROGRAM.

△ DUE TO SHORT CABLE LENGTH, THE PART NUMBERS INDICATED  
MAY NOT MEET IEEE802.3bj. RETURN LOSS AND MINIMUM  
INSERTION LOSS LIMITS.

△ LABEL INFORMATION: P1 SHOWN



△ CE MARKING LABEL INFORMATION (EXAMPLE SHOWS CHINA AND MEXICO MANUFACTURING ADDRESS):



CE UKCA AND WEEE MARKING  
 (5MM REF CHARACTER HEIGHT FOR CE MARKING)  
 (5MM REF CHARACTER HEIGHT FOR UKCA MARKING)  
 (7MM REF CHARACTER HEIGHT FOR WEEE MARKING)



MANUFACTURING LOCATION ADDRESS  
 (ADDRESS SHOWN FOR REFERENCE  
 ONLY. DETAILS DEPENDING ON  
 MANUFACTURING LOCATION)

GAGE	"L"	PART NO
30	△ 500 +50/-0	2-2821033-1
30	3500 +80/-0	2-2821033-0
28	3500 +80/-0	1-2821033-9
30	2500 +80/-0	1-2821033-8
24	5000 +80/-0	1-2821033-6
26	3000 +80/-0	1-2821033-2
24	6000 +80/-0	1-2821033-1
30	2000 +80/-0	1-2821033-0
30	1500 +50/-0	2821033-9
33	1000 +50/-0	2821033-8
33	1500 +50/-0	2821033-7
33	500 +50/-0	2821033-6
26	4000 +80/-0	2821033-5
28	3000 +80/-0	2821033-4
26	5000 +80/-0	2821033-3
30	3000 +80/-0	2821033-2
30	1000 +50/-0	2821033-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN T. SMITH 02MAR2017	TE Connectivity
DIMENSIONS:		CHK E. CUESTA 02MAR2017	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD E. CUESTA 02MAR2017	NAME CABLE ASSEMBLY, QSFP28 TO (4) SFP+
0 PLC	±	PRODUCT SPEC	SIZE
1 PLC	±	APPLICATION SPEC	CAGE CODE
2 PLC	±		DRAWING NO
3 PLC	±		RESTRICTED TO
4 PLC	±		A1
ANGLES	±	WEIGHT	SCALE 5:1
FINISH	±	CUSTOMER DRAWING	SHEET 1 OF 2
			REV 3

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 COPYRIGHT © 2017 TE Connectivity. ALL RIGHTS RESERVED.

REVISIONS				
P.	LTN.	DESCRIPTION	DATE	APVD.
-	-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. SMITH 02MAR2017 CHK E. CUESTA 02MAR2017 APVD E. CUESTA 02MAR2017		
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH ±		NAME CABLE ASSEMBLY, QSFP28 TO (4) SFP+ PRODUCT SPEC - APPLICATION SPEC -
MATERIAL -		WEIGHT -	SIZE A1 CAGE CODE - DRAWING NO. C=2821033	RESTRICTED TO
CUSTOMER DRAWING		SCALE 5:1	SHEET 2 OF 2	REV P3