DTCE04-1-4P-E003 ✓ ACTIVE

DEUTSCH | DEUTSCH DT, DEUTSCH DTHD

TE Internal #: DTCE04-1-4P-E003

Housing for Male Terminals, Wire-to-Wire, 1 Position, Sealable, Black, Wire & Cable, Power, Cable Mount (Free-Hanging), Hybrid

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings











Connector & Housing Type: Housing for Male Terminals

Mating Pin Diameter: 5.72 mm [.225 in]

Connector System: Wire-to-Wire

Number of Positions: 1

Sealable: Yes

Features

Product Type Features

Connector Shape	Circular
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	Integrated in Housing
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	1
Number of Rows	0
Electrical Characteristics	
Operating Voltage	250 VAC
Nominal Voltage Architecture	12 V, 24 V, 48 V

Body Features



Cable Exit Angle	180°
Primary Product Color	Black
Contact Features	
Contact Size	Size 4
Contact Type	Pin
Mating Pin Diameter	5.72 mm[.225 in]
Contact Current Rating (Max)	100 A
Mechanical Attachment	
Terminal Position Assurance	No
Strain Relief	With
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PEI (Polyetherimide)
Dimensions	
Connector Height	29.72 mm[1.17 in]
Product Width	26.54 mm[1.045 in]
Product Length	55.07 mm[2.168 in]
Compatible Insulation Diameter Range	6.63 – 10.67 mm[.261 – .42 in]
Usage Conditions	
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
Degree of Protection	Not Tested
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	500
Packaging Method	Box
Other	



Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts












TE Part # 4060-006-04141 PIN, SOLID, SIZE 4, 6AWG, NI TE Part # 4060-005-04141
PIN, SOLID, SIZE 4, 4AWG, NI

TE Part # 4011-201-0400 EXT TOOL, SIZE 4, 4-6 AWG, CE, GRY TE Part # 4060-009-04141
PIN, SOLID, SIZE 4, 4AWG, NI

Also in the Series | DEUTSCH DT



Automotive Connector Caps & Covers (107)



Automotive Connector Locks & Position Assurance(74)



Automotive Housings(619)



Automotive Seals & Cavity Plugs(6)



Insertion & Extraction Tools(3)



Other Automotive Connector Accessories(20)




PCB Headers & Receptacles(103)

Also in the Series | DEUTSCH DTHD



Automotive Housings(22)



Customers Also Bought

















TE Part #4060-005-04141
PIN, SOLID, SIZE 4, 4AWG, NI

TE Part #6-1372259-3
SPARE PART P3X0 INSERTION TOOL

TE Part #7001003-ZZ RESISTOR ASSMB PL

Documents

Product Drawings
DTCE RECP ASM

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_DTCE04-1-4P-E003_99_c-dtce04-1-4p-e003-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_DTCE04-1-4P-E003_99_c-dtce04-1-4p-e003-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_DTCE04-1-4P-E003_99_c-dtce04-1-4p-e003-99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Housing for Male Terminals, Wire-to-Wire, 1 Position, Sealable, Black, Wire & Cable, Power, Cable Mount (Free-Hanging), Hybrid



CONNECTOR SELECTOR

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals

UL Report

English