



DATE	REV	ECN	APP'D. BY
10-25-19	A0	-	ADB
11-1-19	A1	11467	ADB
12-4-19	A2	11483	ADB



NOTES:

- 1) EACH CABLE ASSEMBLY TO BE INDIVIDUALLY BAGGED.
- 2) CABLE CONSTRUCTION USB 2.0 UL STYLE 1
 - 28 AWG 1 TWISTED PAIR
 - 24 AWG X 2C
 - 4.5MM OD
 - BLACK JACKET
- 3) CONNECTOR P1:USB A MALE 2.0 WHITE INSULATOR, GOLD FLASH ON CONTACTS
- 4) HOOD P1: MOLDED BLACK PVC STRAIN RELIEF
- 5) ALL CABLES TESTED FOR CONTINUITY & SHORTS

P/N STRUCTURE:




O/A Length Tolerance:

Metric	
0 ~ 200mm	±10mm
201 ~ 1000mm	±20mm
1001 ~ 1500mm	±25mm
1501 ~ 2100mm	±30mm
>2100mm	±40mm

Imperial	
0 ~ 1ft	±0.5in
2ft ~ 3ft	±0.75in
4ft ~ 7ft	±1.0in
> 7ft	±1.5in

PART NUMBERS REFERENCE TABLE	
LENGTH	PART NUMBER
3 FT	SC-2ADK003F
6 FT	SC-2ADK006F
10 FT	SC-2ADK010F
16 FT	SC-2ADK016F



CABLE MARKING:

HI-SPEED USB Revision 2.0 SHIELDED 28AWG/1PR+24AWG/2C
 E300060 AWM 2725 80°C 30V VW-1 CSA
 204790 AWM I/II A/B 80°C 30V FT1 MSL



THIRD ANGLE PROJECTION	 11118 Susquehanna Trail South Glen Rock, PA 17327-9199 (717) 235-7512 http://www.stewartconnector.com						
DO NOT SCALE DRAWING DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE							
TITLE: USB 2.0 TYPE-A TO FREE END							
DIMENSIONS: INCHES [METRIC]	THIS DRAWING AND THE SUBJECT MATTER SHOWN THEREON ARE CONFIDENTIAL AND THE PROPRIETARY PROPERTY OF STEWART CONNECTOR AND SHALL NOT BE REPRODUCED, COPIED, OR USED IN ANY MANNER WITHOUT PRIOR WRITTEN CONSENT OF STEWART CONNECTOR. ONE OR MORE U.S. PATENTS MAY APPLY TO THIS PRODUCT. FOR DETAILS, PLEASE VISIT: HTTP://BELFUSE.COM/STEWART/STEWART_PATENTS/						
UNLESS OTHERWISE SPECIFIED TOLERANCES ARE ±.008 [0.20] ANGLES ARE ± 1°							
SHEET NO. 1 OF 1	<table border="1"> <tr> <td>DRN BY: JMM</td> <td>DATE 10-21-19</td> </tr> <tr> <td>APPD BY: ADB</td> <td>DATE 10-25-19</td> </tr> <tr> <td>DWG NO. CT999209</td> <td>REV. A2</td> </tr> </table>	DRN BY: JMM	DATE 10-21-19	APPD BY: ADB	DATE 10-25-19	DWG NO. CT999209	REV. A2
DRN BY: JMM	DATE 10-21-19						
APPD BY: ADB	DATE 10-25-19						
DWG NO. CT999209	REV. A2						