

4

3

2

1





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC		DST		REVISIONS			
GP	00	TP	LVR	DESCRIPTION	DATE	OWN	APPD
		F		REVISED PER ECO-08-007327	27JAN2009	ZMR	WLM

1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.

△ MATERIAL:  
 HOUSING & STRAIN RELIEF CLIP- POLYPHENYLENE OXIDE (BLACK)  
 TERMINALS - HIGH STRENGTH COPPER ALLOY PLATED WITH EITHER .000030 MIN GOLD OR GOLD FLASH OVER PALLADIUM NICKEL .000030 MIN TOTAL, ON CONTACT MATING SURFACE. .000050 MIN NICKEL UNDERPLATE OVER ENTIRE TERMINAL.

3. WIRE SIZE: 26, 27 OR 28 AWG 7 STRANDS OF COPPER CONDUCTORS MAXIMUM INSULATION  $\phi$ .045 IS ACCEPTABLE FOR MOST APPLICATIONS.



AS SHOWN	554337-1
DESCRIPTION	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN BYERLY 10-27-83	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		CHK M.D. FRIEL 11-30-83	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APRD WAYNE PULE 1-5-84	PRODUCT SPEC	
0 PLC ± -		APPLICATION SPEC		
1 PLC ± -		WEIGHT		
2 PLC ± -		CUSTOMER DRAWING		
3 PLC ± -		SCALE NTS		
4 PLC ± -		SHEET 1 of 1		
ANGLES ± -		REV F		
FINISH		SIZE A2	DATE CODE 00779	DRAWING NO C=554337
MATERIAL		RESTRICTED TO		

554337