280377-2 - ACTIVE

AMPMODU | AMPMODU Headers

TE Internal #: 280377-2 PCB Mount Header, Right Angle, Board-to-Board, 2 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Gold, AMPMODU Headers

View on TE.com >

Connectors > PCB Connectors > PCB Headers & Receptacles



PCB Connector Assembly Type: PCB Mount Header

PCB Mount Orientation: Right Angle

Connector System: Board-to-Board

Number of Positions: 2

Number of Rows: 1

Features

TE connectivity

Product Type Features

PCB Connector Assembly Type	PCB Mount Header	
Connector System	Board-to-Board	
Header Type	Partially Shrouded	
Sealable	No	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
Connector Contact Load Condition	Fully Loaded	
PCB Mount Orientation	Right Angle	
Number of Positions	2	
Number of Rows	1	
Electrical Characteristics		
Dielectric Withstanding Voltage (Max)	750 V	
Body Features		
Connector Profile	Standard	

C For support call+1 800 522 6752

PCB Mount Header, Right Angle, Board-to-Board, 2 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Gold, AMPMODU Headers



Primary Product Color	Black	
Contact Features		
PCB Contact Termination Area Plating Material Thickness	2.5 µm	
Contact Shape & Form	Round	
Contact Mating Area Plating Material Finish	Bright	
PCB Contact Termination Area Plating Material	Tin	
Contact Base Material	Brass	
Contact Mating Area Plating Material	Gold	
Contact Mating Area Plating Material Thickness	.381 μm[15 μin]	
Contact Type	Pin	
Termination Features		
Termination Post & Tail Length	3.5 mm[.138 in]	
Termination Method to Printed Circuit Board	Through Hole - Solder	
Mechanical Attachment		
Mating Retention	With	
Panel Mount Feature	Without	
Mating Alignment	With	
Mating Alignment Type	Polarization	
PCB Mount Retention	Without	
PCB Mount Alignment	Without	
Connector Mounting Type	Board Mount	
Housing Features		
Centerline (Pitch)	2.54 mm[.1 in]	
Housing Material	Thermoplastic	
Dimensions		
Row-to-Row Spacing	2.54 mm[.1 in]	
Jsage Conditions		
Housing Temperature Rating	Standard	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]	
Operation/Application		
Circuit Application	Power & Signal	

PCB Mount Header, Right Angle, Board-to-Board, 2 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Gold, AMPMODU Headers



Packaging Features

Packaging Quantity	1500
Packaging Type	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series AMPMODU Headers

C For support call+1 800 522 6752


PCB Mount Header, Right Angle, Board-to-Board, 2 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Gold, AMPMODU Headers







Customers Also Bought



TE Part #1623730-8 BCHE 4 W 1R5 10%	TE Part #280373-2 8P AMPMODU II SHRD HDR, ST, 0.38 AU	TE Part #280389-2 2X4P MODU II SHRD HDR,RT ANG, 0.38AU	TE Part #280384-2 2X4P AMPMODU II SHRD HDR,ST,0.38 AU
IDUI BUILINE BUILINE	ETE	ALL	THILL BUILD THE
TE Part #5-2176343-5 CRGCQ 1206 330K 1%	TE Part #1-2176379-1 RQ 0805 137R 0.1% 10PPM 5K RL	TE Part #280372-2 6P AMPMODU II SHRD HDR, ST, 0.38 AU	TE Part #280371-2 4P AMPMODU II SHRD HDR, ST, 0.38 AU



Documents

PCB Mount Header, Right Angle, Board-to-Board, 2 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Gold, AMPMODU Headers



Product Drawings 2P MODU II SHRD HDR,RT ANG, 0.38AU

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_280377-2_S_c-280377-2-s.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_280377-2_S_c-280377-2-s.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_280377-2_S_c-280377-2-s.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance

TE Material Declaration

English