Old Company Name in Catalogs and Other Documents

On April 1st, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: http://www.renesas.com

April 1st, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (http://www.renesas.com)

Send any inquiries to http://www.renesas.com/inquiry.



Notice

- 1. All information included in this document is current as of the date this document is issued. Such information, however, is subject to change without any prior notice. Before purchasing or using any Renesas Electronics products listed herein, please confirm the latest product information with a Renesas Electronics sales office. Also, please pay regular and careful attention to additional and different information to be disclosed by Renesas Electronics such as that disclosed through our website.
- Renesas Electronics does not assume any liability for infringement of patents, copyrights, or other intellectual property rights
 of third parties by or arising from the use of Renesas Electronics products or technical information described in this document.
 No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights
 of Renesas Electronics or others.
- 3. You should not alter, modify, copy, or otherwise misappropriate any Renesas Electronics product, whether in whole or in part.
- 4. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation of these circuits, software, and information in the design of your equipment. Renesas Electronics assumes no responsibility for any losses incurred by you or third parties arising from the use of these circuits, software, or information.
- 5. When exporting the products or technology described in this document, you should comply with the applicable export control laws and regulations and follow the procedures required by such laws and regulations. You should not use Renesas Electronics products or the technology described in this document for any purpose relating to military applications or use by the military, including but not limited to the development of weapons of mass destruction. Renesas Electronics products and technology may not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations.
- 6. Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.
- 7. Renesas Electronics products are classified according to the following three quality grades: "Standard", "High Quality", and "Specific". The recommended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below. You must check the quality grade of each Renesas Electronics product before using it in a particular application. You may not use any Renesas Electronics product for any application categorized as "Specific" without the prior written consent of Renesas Electronics. Further, you may not use any Renesas Electronics product for any application for which it is not intended without the prior written consent of Renesas Electronics. Renesas Electronics shall not be in any way liable for any damages or losses incurred by you or third parties arising from the use of any Renesas Electronics product for an application categorized as "Specific" or for which the product is not intended where you have failed to obtain the prior written consent of Renesas Electronics. The quality grade of each Renesas Electronics product is "Standard" unless otherwise expressly specified in a Renesas Electronics data sheets or data books, etc.

"Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; and industrial robots.

"High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control systems; anti-disaster systems; anti-crime systems; safety equipment; and medical equipment not specifically designed for life support.

"Specific": Aircraft; aerospace equipment; submersible repeaters; nuclear reactor control systems; medical equipment or systems for life support (e.g. artificial life support devices or systems), surgical implantations, or healthcare intervention (e.g. excision, etc.), and any other applications or purposes that pose a direct threat to human life.

- 8. You should use the Renesas Electronics products described in this document within the range specified by Renesas Electronics, especially with respect to the maximum rating, operating supply voltage range, movement power voltage range, heat radiation characteristics, installation and other product characteristics. Renesas Electronics shall have no liability for malfunctions or damages arising out of the use of Renesas Electronics products beyond such specified ranges.
- 9. Although Renesas Electronics endeavors to improve the quality and reliability of its products, semiconductor products have specific characteristics such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Further, Renesas Electronics products are not subject to radiation resistance design. Please be sure to implement safety measures to guard them against the possibility of physical injury, and injury or damage caused by fire in the event of the failure of a Renesas Electronics product, such as safety design for hardware and software including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult, please evaluate the safety of the final products or system manufactured by you.
- 10. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. Please use Renesas Electronics products in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. Renesas Electronics assumes no liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
- 11. This document may not be reproduced or duplicated, in any form, in whole or in part, without prior written consent of Renesas Electronics
- 12. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products, or if you have any other inquiries.
- (Note 1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its majority-owned subsidiaries.
- (Note 2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.





PHOTO DIODE NR8800FS-CB

ϕ 80 μ m InGaAs AVALANCHE PHOTO DIODE MODULE FOR OTDR APPLICATIONS

DESCRIPTION

The NR8800FS-CB is an InGaAs avalanche photo diode module with multi mode fiber, and can be used in OTDR systems.

FEATURES


Small dark current
 ID = 7 nA

• Small terminal capacitance $C_t = 0.5 pF @ 0.9 V_{(BR)R}$

• High sensitivity $S = 0.94 \text{ A/W} @ \lambda = 1 310 \text{ nm}, M = 1$


• Detecting area size ϕ 80 μ m

· Coaxial module with multi mode fiber (GI-62.5)




The information in this document is subject to change without notice. Before using this document, please confirm that this is the latest version. Not all products and/or types are available in every country. Please check with an NEC Electronics sales representative for availability and additional information.

PACKAGE DIMENSIONS (UNIT: mm)



OPTICAL FIBER CHARACTERISTICS

| Parameter | Specification | Unit |
|-------------------------------------|---------------|------|
| | GI-62.5 Fiber | |
| Core Diameter | 62.5±3 | μm |
| Cladding Diameter | 125±2 | μm |
| Maximum Cladding Noncircularity | 2 | % |
| Maximum Core/Cladding Concentricity | 4.0 | % |
| Outer Diameter | 0.9±0.1 | mm |
| Minimum Fiber Bending Radius | 30 | mm |
| Fiber Length | 1 000 MIN. | mm |
| Flammability | UL1581 VW-1 | |



2



ORDERING INFORMATION

| Part Number | Flange Type | Fiber Type | Available Connector |
|-------------|-------------------|---------------|-----------------------|
| NR8800FS-CB | Flat Mount Flange | GI-62.5 Fiber | With SC-SPC Connector |

ABSOLUTE MAXIMUM RATINGS

| Parameter | Symbol | Ratings | Unit |
|-----------------------------------|------------------|--------------|------|
| Forward Current | lF | 10 | mA |
| Reverse Current | lr | 1.0 | mA |
| Operating Case Temperature | Tc | -40 to +85 | °C |
| Storage Temperature | T _{stg} | -40 to +85 | °C |
| Lead Soldering Temperature | Tsld | 350 (3 sec.) | °C |
| Relative Humidity (noncondensing) | RH | 85 | % |





ELECTRO-OPTICAL CHARACTERISTICS (Tc = 25°C, unless otherwise specified)


| Parameter | Symbol | Conditions | MIN. | TYP. | MAX. | Unit |
|---|-----------------|--|------|------|------|----------|
| Reverse Breakdown Voltage | V _{BR} | I _D = 100 μA | 50 | 70 | 100 | V |
| Temperature Coefficient of Reverse Breakdown Voltage | δ*1 | | | 0.2 | | %/°C |
| Dark Current | lo | $V_R = V_{BR} \times 0.9$ | | 7 | 30 | nA |
| Multiplied Dark Current | Ідм | M = 2 to 10 | | 1 | 5 | nA |
| Terminal Capacitance | Ct | $V_R = V_{BR} \times 0.9$, $f = 1 \text{ MHz}$ | | 0.5 | 0.75 | pF |
| Sensitivity | S | λ = 1 310 nm, M = 1 | 0.8 | 0.94 | | A/W |
| Multiplication Factor | М | $\lambda = 1 \ 310 \ \text{nm}, \ I_{po} = 1.0 \ \mu\text{A},$ $V_R = V \ (@ \ I_D = 1 \ \mu\text{A})$ | 30 | 70 | | (|
| Excess Noise Factor*2 | х | $\lambda = 1 \ 310 \ \text{nm}, \ I_{po} = 1.0 \ \mu\text{A},$ | | 0.7 | | |
| | F | M = 10, f = 35 MHz, B = 1 MHz | | 5 | | |
| Optical Return Loss | ORL | GI-62.5, λ = 1 310 nm | 28 | | | dB |

*1
$$\delta = \frac{V_{BR} \left(25^{\circ}C + \Delta T^{\circ}C\right) - V_{BR} \left(25^{\circ}C\right)}{\Delta T^{\circ}C \cdot V_{BR} \left(25^{\circ}C\right)}$$




^{*2} $F = M^{x}$


<R> TYPICAL CHARACTERISTICS (Tc = 25°C, unless otherwise specified)




MULTIPLICATION FACTOR vs. REVERSE VOLTAGE



DARK CURRENT, PHOTO CURRENT vs. REVERSE VOLTAGE



DARK CURRENT vs. REVERSE VOLTAGE



Remark The graphs indicate nominal characteristics.

Reverse Voltage VR (V)

REFERENCE

| Document Name | Document No. | |
|-----------------------------------|--------------|--|
| Opto-Electronics Devices Pamphlet | PX10160E | |



6

- The information in this document is current as of January, 2010. The information is subject to change without notice. For actual design-in, refer to the latest publications of NEC Electronics data sheets, etc., for the most up-to-date specifications of NEC Electronics products. Not all products and/or types are available in every country. Please check with an NEC Electronics sales representative for availability and additional information.
- No part of this document may be copied or reproduced in any form or by any means without the prior
 written consent of NEC Electronics. NEC Electronics assumes no responsibility for any errors that may
 appear in this document.
- NEC Electronics does not assume any liability for infringement of patents, copyrights or other intellectual
 property rights of third parties by or arising from the use of NEC Electronics products listed in this document
 or any other liability arising from the use of such products. No license, express, implied or otherwise, is
 granted under any patents, copyrights or other intellectual property rights of NEC Electronics or others.
- Descriptions of circuits, software and other related information in this document are provided for illustrative
 purposes in semiconductor product operation and application examples. The incorporation of these
 circuits, software and information in the design of a customer's equipment shall be done under the full
 responsibility of the customer. NEC Electronics assumes no responsibility for any losses incurred by
 customers or third parties arising from the use of these circuits, software and information.
- While NEC Electronics endeavors to enhance the quality and safety of NEC Electronics products, customers agree and acknowledge that the possibility of defects thereof cannot be eliminated entirely. In addition, NEC Electronics products are not taken measures to prevent radioactive rays in the product design. When customers use NEC Electronics products with their products, customers shall, on their own responsibility, incorporate sufficient safety measures such as redundancy, fire-containment and anti-failure features to their products in order to avoid risks of the damages to property (including public or social property) or injury (including death) to persons, as the result of defects of NEC Electronics products.
- NEC Electronics products are classified into the following three quality grades: "Standard", "Special" and
 "Specific".
 - The "Specific" quality grade applies only to NEC Electronics products developed based on a customer-designated "quality assurance program" for a specific application. The recommended applications of an NEC Electronics product depend on its quality grade, as indicated below. Customers must check the quality grade of each NEC Electronics product before using it in a particular application.
 - "Standard": Computers, office equipment, communications equipment, test and measurement equipment, audio and visual equipment, home electronic appliances, machine tools, personal electronic equipment and industrial robots.
 - "Special": Transportation equipment (automobiles, trains, ships, etc.), traffic control systems, anti-disaster systems, anti-crime systems, safety equipment and medical equipment (not specifically designed for life support).
 - "Specific": Aircraft, aerospace equipment, submersible repeaters, nuclear reactor control systems, life support systems and medical equipment for life support, etc.

The quality grade of NEC Electronics products is "Standard" unless otherwise expressly specified in NEC Electronics data sheets or data books, etc. If customers wish to use NEC Electronics products in applications not intended by NEC Electronics, they must contact an NEC Electronics sales representative in advance to determine NEC Electronics' willingness to support a given application.

(Note)

- (1) "NEC Electronics" as used in this statement means NEC Electronics Corporation and also includes its majority-owned subsidiaries.
- (2) "NEC Electronics products" means any product developed or manufactured by or for NEC Electronics (as defined above).

M8E0904E

SAFETY INFORMATION ON THIS PRODUCT

| Caution GaAs Products | This product uses gallium arsenide (GaAs). GaAs vapor and powder are hazardous to human health if inhaled or ingested, so please observe the following points. |
|-----------------------|--|
| | Follow related laws and ordinances when disposing of the product. If there are no applicable laws and/or ordinances, dispose of the product as recommended below. |
| | Commission a disposal company able to (with a license to) collect, transport and dispose of materials that contain arsenic and other such industrial waste materials. |
| | Exclude the product from general industrial waste and household garbage, and ensure that the product is controlled (as industrial waste subject to special control) up until final disposal. |
| | Do not burn, destroy, cut, crush, or chemically dissolve the product. |
| | Do not lick the product or in any way allow it to enter the mouth. |
| Caution Optical Fiber | A glass-fiber is attached on the product. Handle with care. When the fiber is broken or damaged, handle carefully to avoid injury from the damaged part or fragments. |

