






| REVISIONS |     |  |           |         |
|-----------|-----|--|-----------|---------|
| P         | LTR | DESCRIPTION                              | DATE      | APVD    |
| B         |     | ECO-20-017853: G-CONTACT TAIL GOLD FLASH | 18DEC2020 | A.L H.L |




CONNECTOR DETAIL

PAPER REEL

PLASTIC REEL

DETAIL G



| SEALANT     | REEL    | TOOLING STATUS | QTY | W    | E    | D  | C  | B    | A    | POS. | PART NO.    |
|-------------|---------|----------------|-----|------|------|----|----|------|------|------|-------------|
| SEALANT     | ---     | NOT AVAILABLE  | 650 | 77.5 | 54.7 | 55 | 72 | 68.4 | 34.2 | 320  | 6-5353206-1 |
|             | PAPER   | AVAILABLE      | ↑   | 77.5 | 48.7 | 49 | 72 | 68.4 | 34.2 | 280  | 6-↑-0       |
| NON SEALANT | ---     | NOT AVAILABLE  |     | 61.5 | 42.7 | 43 | 56 | 52.4 | 26.2 | 240  | 5-↑-9       |
|             | ---     | NOT AVAILABLE  | 650 | 61.5 | 36.7 | 37 | 56 | 52.4 | 26.2 | 200  | 5-5353206-8 |
| NON SEALANT | ---     | NOT AVAILABLE  | 650 | 77.5 | 54.7 | 55 | 72 | 68.4 | 34.2 | 320  | 1-5353206-1 |
|             | PLASTIC | AVAILABLE      | ↑   | 77.6 | 48.7 | 49 | 72 | 68.4 | 34.2 | 280  | 1-↑-0       |
| NON SEALANT | ---     | NOT AVAILABLE  |     | 61.5 | 42.7 | 43 | 56 | 52.4 | 26.2 | 240  | ↑-9         |
|             | PAPER   | NOT AVAILABLE  | 650 | 61.5 | 36.7 | 37 | 56 | 52.4 | 26.2 | 200  | 5353206-8   |

- △ THIS PRODUCT WAS COATED BY FLUX-PENETRATION -INHIBITING AGENT.
- △ CAP HOUSING AND EMBOSS TAPE FOR ONLY 280P HAS THESE ORIENTATION AND SUNK FEATURES.

THIS DRAWING IS A CONTROLLED DOCUMENT.

|  |  |  |                               |   |
|--|--|--|-------------------------------|---|
| DIMENSIONS:<br>單位: 耗<br>mm   | TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>一般公差 | DWN<br>HAWKING HE<br>14DEC04           | TE Connectivity Ltd.          |   |
| 0 PLC ± 0.2<br>1 PLC ± 0.2<br>2 PLC ± 0.2<br>3 PLC ± 0.2<br>4 PLC ANGLES ± 0.2 | ± 5'   | CHK<br>STEVEN YAO<br>14DEC04           |                               |   |
| MATERIAL<br>材料   | FINISH<br>仕上                                   | APVD<br>I.ENOMOTO<br>14DEC04           | NAME<br>名称                    | EMBOSS ASSY<br>FH 0.6BTB CONNECTOR<br>REC 4H 2ROW TYPE W/G-CONT |
|  |  | PRODUCT SPEC<br>製品規格<br>108-60047      | SIZE<br>A3                    | CAGE CODE<br>00779  |
|  |  | APPLICATION SPEC<br>取付適用規格<br>114-5255 | DRAWING NO<br>番号<br>G=5353206 | RESTRICTED TO   |
|  |  | WEIGHT                                 | SCALE<br>尺度 1:1               | SHEET<br>1 OF 3   |
|  |  | CUSTOMER DRAWING                       |                               | REV<br>B  |



4

3

2

1

© 1996 TE Connectivity. All Rights Reserved.

| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| 変更        |     |             |      |     |      |
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| -         |     | SEE SHEET 1 | -    | -   | -    |

Technical drawing of a 280P connector. The drawing shows a top view of the connector with dimensions: 6, 6, 6, 5.4, 6, 6, 6. The drawing is divided into sections 4, 3, 2, and 1.

280P

Technical drawing of a 240P connector. The drawing shows a top view of the connector with dimensions: 6, 6, 5.4, 6, 6. The drawing is divided into sections 2 and 1.

240P

Technical drawing of a 320P connector. The drawing shows a top view of the connector with dimensions: 6, 6, 6, 5.4, 6, 6, 6. The drawing is divided into sections 4, 3, 2, and 1.

320P

Technical drawing of a 200P connector. The drawing shows a top view of the connector with dimensions: 6, 6, 5.4, 6, 6. The drawing is divided into sections 2 and 1.

200P

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
单位: 耗  
mm

MATERIAL  
材料TOLERANCES UNLESS  
OTHERWISE SPECIFIED:  
一般公差

|        |     |     |
|--------|-----|-----|
| 0      | PLC | ± - |
| 1      | PLC | ± - |
| 2      | PLC | ± - |
| 3      | PLC | ± - |
| 4      | PLC | ± - |
| ANGLES |     | ± - |

FINISH  
仕上

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity Ltd.

NAME  
名称

SIZE

CAGE CODE

DRAWING NO  
番号

RESTRICTED TO

EMBOSS ASSY  
FH 0.6BTB CONNECTOR  
REC 4H 2ROW TYPE W/G-CONT

A3 00779

G=5353206

SCALE  
尺度 3:1SHEET  
3 OF 3REV  
B

GENERAL TOLERANCE  
一般公差

|            |   |           |
|------------|---|-----------|
| 10         | ≥ | ±0.2      |
| 30         | ≥ | >10:±0.25 |
| 100        | ≥ | >30:±0.3  |
| ANGLES:±3° |   |           |

1470-19 (1/15)