2029185-1 <

MATE-N-LOK | Commercial MATE-N-LOK

TE Internal #: 2029185-1 Power Contacts, Contact, Tin, 24 – 18 AWG Wire Size, .2 – .82 mm² Wire Size, Wire & Cable, Crimp, Power, Socket, Brass, Pre-Tin, Commercial MATE-N-LOK

View on TE.com >

Connectors > Power Connectors > Power Contacts



Power Contact Type: Contact

Contact Mating Area Plating Material: Tin

Wire Size: .2 – .82 mm²

Connector & Contact Terminates To: Wire & Cable

Features Product Type Features Power Contact Type Contact Wire & Cable Connector & Contact Terminates To **Contact Features** Barrel Type Open Contact Mating Area Plating Material Tin Socket Contact Type Contact Retention Within Housing With Mating Pin Diameter 2.11 mm[.083 in] Contact Base Material Brass .4 – 3.5 μm[15.75 – 137.8 μin] Wire Contact Termination Area Plating Thickness Wire Contact Termination Area Plating Material Pre-Tin



Wire Contact Termination Area Plating Material Finish

Contact Orientation

Termination Features

Termination Method to Wire & Cable

Crimp

Bright

Straight

2029185-1

Power Contacts, Contact, Tin, 24 – 18 AWG Wire Size, .2 – .82 mm² Wire Size, Wire & Cable, Crimp, Power, Socket, Brass, Pre-Tin, Commercial MATE-N-LOK



Mechanical Attachment

| Contact Retention Type Within Housing | Locking Lance |
|---|----------------|
| Wire Insulation Support | Without |
| Dimensions | |
| Wire Size | .2 – .82 mm² |
| Compatible Insulation Diameter Range | 2.54 mm[.1 in] |
| Operation/Application | |
| Circuit Application | Power |
| Packaging Features | |
| Packaging Quantity | 7000 |
| Packaging Method | Reel |
| | |
| Product Compliance | |
| For compliance documentation, visit the product page on TE.com> | |
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
|--|--|
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

2029185-1

Power Contacts, Contact, Tin, 24 – 18 AWG Wire Size, .2 – .82 mm² Wire Size, Wire & Cable, Crimp, Power, Socket, Brass, Pre-Tin, Commercial MATE-N-LOK



Also in the Series Commercial MATE-N-LOK

| A Contraction of the second se | | | |
|--|-----------------------------------|-------------------------------------|-----------------------------------|
| Connector Contacts(20) | Connector Seals & Cavity Plugs(1) | Crimp Wire Pins, Tabs & Ferrules(2) | Insertion & Extraction Tools(5) |
| | | | |
| Power Contacts(129) | Rectangular Caps & Covers(2) | Rectangular Connector Housings(11) | Rectangular Power Connectors(169) |
| | | | |







Documents

Product Drawings CMNL SKT W/INDENTED SIDES

English

CAD Files

Customer View Model ENG_CVM_2029185-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_2029185-1_A.3d_stp.zip

English

Customer View Model

ENG_CVM_2029185-1_A.2d_dxf.zip

English

3D PDF

2029185-1

Power Contacts, Contact, Tin, 24 – 18 AWG Wire Size, .2 – .82 mm² Wire Size, Wire & Cable, Crimp, Power, Socket, Brass, Pre-Tin, Commercial MATE-N-LOK



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English