


MIKROELEKTRONIKA D.O.O, Batajnički drum 23, 11000 Belgrade, Serbia VAT: SR105917343 Registration No. 20490918

Phone: + 381 11 78 57 600 Fax: + 381 11 63 09 644 E-mail: office@mikroe.com

Spectrometer Click





PID: MIKROE-4165

Spectrometer Click features an 11-channel spectrometer for spectral identification and color matching applications. This Click board[™] features the AS7341 from AMS-AG, whose spectral response is defined in the wavelengths from approximately 350nm to 1000nm. Control and Spectral data access are implemented through a serial I2C interface with very a low power consumption. AS7341 also integrates a dedicated channel to detect 50Hz or 60Hz ambient light flicker. It has many features that make it attractive for various applications such as spectral measurement, reflective object color detection, color measurement, and as ambient light flicker detection.

Spectrometer Click is supported by a mikroSDK compliant library, which includes functions that simplify software development. This Click board $^{\text{\tiny M}}$ comes as a fully tested product, ready to be used on a system equipped with the mikroBUS $^{\text{\tiny M}}$ socket.

Mikroe produces entire development toolchains for all major microcontroller architectures.

Committed to excellency, we are dedicated to helping engineers bring the project development up to speed and achieve outstanding results.







MIKROELEKTRONIKA D.O.O, Batajnički drum 23, 11000 Belgrade, Serbia VAT: SR105917343 Registration No. 20490918 Phone: + 381 11 78 57 600 Fax: + 381 11 63 09 644 E-mail: office@mikroe.com www.mikroe.com

Specifications

Туре	Optical
Applications	Can be used for spectral measurement, ambient light measurement, color measurement, display management.
On-board modules	AS7341
Key Features	11-Channel Spectral Sensor, 350nm to 1000nm spectral response, 50Hz or 60Hz ambient light flicker, 16-bit light-to-frequency converter
Interface	GPIO,I2C
ClickID	No
Compatibility	mikroBUS
Click board size	M (42.9 x 25.4 mm)
Input Voltage	3.3V or 5V

Resources

<u>mikroBUS</u>™

mikroSDK

Click board™ Catalog

Downloads

Spectrometer click example on Libstock

Spectrometer click schematic

AS7341 IC datasheet

Spectrometer click 2D and 3D files

Mikroe produces entire development toolchains for all major microcontroller architectures.

Committed to excellency, we are dedicated to helping engineers bring the project development up to speed and achieve outstanding results.





